

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|----------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|-------|------------|------|------------------------------|------|------------------------------|------|-----------------------------|------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1790 | PULICATE LAKE , NELLORE DIST | LAKE | ANDHRA PRADESH | 21 | 26 | 3.8 | 4.8 | 7.0 | 8.4 | 18830 | 57090 | 2.2 | 2.8 | 0.74 | 1.45 | 3 | 3 | 75 | 210 |
| 2353 | KONDAKARLA-AAVA LAKE, PARAWADA PHARMA CITY, VISHAKHAPATNAM | LAKE | ANDHRA PRADESH | 25 | 28 | 3.6 | 6.8 | 7.1 | 8.3 | 580 | 890 | 2.4 | 4.8 | 1.03 | 4.52 | 15 | 23 | 150 | 460 |
| 4368 | KOLLERU LAKE KOKKIRAYALANKA (V), KAILALUR (M) | LAKE | ANDHRA PRADESH | 23 | 29 | 0.5 | 5.4 | 6.8 | 8.4 | 675 | 13800 | 1.7 | 6.2 | 1.30 | 8.62 | 11 | 23 | 150 | 1100 |
| 4391 | CHENGAMBAKAM TANK IN SRI CITY SEZ, TIRUPATHI | TANK | ANDHRA PRADESH | 26 | 30 | 5.3 | 6.7 | 6.4 | 7.6 | 206 | 670 | 0.8 | 2.5 | 0.11 | 3.30 | 47 | 200 | 210 | 600 |
| 1529 | DEEPAR BEEL, ASSAM | LAKE | ASSAM | 18 | 35 | 7.2 | 10.2 | 7.3 | 8.0 | 188 | 240 | 2.1 | 3.8 | 1.00 | 1.80 | 300 | 910 | 720 | 1500 |
| 2205 | MER BEEL AT MADHABPUR, ASSAM | LAKE | ASSAM | 20 | 28 | 4.2 | 6.8 | 6.8 | 7.6 | 25 | 140 | 1.1 | 2.4 | 0.60 | 1.00 | 300 | 360 | 720 | 1400 |
| 2206 | DALONI BEEL NEAR JOGIGHOPA, ASSAM | LAKE | ASSAM | 22 | 34 | 4.1 | 5.4 | 7.0 | 8.1 | 43 | 67 | 1.1 | 2.4 | 0.40 | 1.10 | 2 | 360 | 300 | 910 |
| 2218 | DEEPAR BEEL AT BORAGAON NEAR IASST, GUWAHATI, ASSAM | LAKE | ASSAM | 18 | 32 | 4.5 | 11.2 | 7.1 | 8.0 | 189 | 244 | 2.8 | 3.9 | 1.20 | 2.00 | 300 | 730 | 360 | 1500 |
| 3785 | BORBEEL NO. 1 , RAM NAGAR, DIGBOI, PUBLIC WATER SUPPLY, TINSUKIA | LAKE | ASSAM | 24 | 25 | 0.3 | 0.3 | 7.3 | 7.4 | 177 | 273 | 1.1 | 2.3 | 0.70 | 0.70 | 2 | 2 | 2 | 2 |
| 3787 | HOLUDUNGA BEEL NEAR GAI NADI/ RIVER AT SOMARAJAN, DHEMAJI | LAKE | ASSAM | 20 | 27 | 5.0 | 9.0 | 7.1 | 7.8 | 68 | 94 | 1.8 | 2.4 | 0.50 | 0.90 | 300 | 730 | 700 | 2000 |
| 3789 | BORDOIBAM BEELMUKH BIRD SANCTUARY, DHEMAJI | LAKE | ASSAM | 20 | 25 | 5.0 | 7.6 | 7.0 | 8.0 | 189 | 218 | 1.3 | 2.6 | 0.70 | 1.40 | 300 | 730 | 700 | 2000 |
| 3798 | SAMAGURI BEEL IN NAGAON DISTRICT | LAKE | ASSAM | 17 | 35 | 4.1 | 5.8 | 7.0 | 7.6 | 89 | 116 | 1.3 | 2.8 | 0.70 | 1.20 | 300 | 730 | 360 | 1500 |
| 3800 | MALINI BEEL NEAR INDUSTRIAL AREA AT RAMNAGAR | LAKE | ASSAM | 20 | 25 | 4.0 | 4.5 | 6.2 | 7.4 | 126 | 152 | 2.1 | 2.6 | 0.70 | 1.10 | 300 | 360 | 360 | 1500 |
| 3804 | SON BEEL WATER AT KARIMGANJ | LAKE | ASSAM | 21 | 25 | 4.1 | 5.8 | 6.8 | 7.3 | 106 | 150 | 1.3 | 2.3 | 0.60 | 1.30 | 300 | 720 | 720 | 2000 |
| 3808 | PARASHALI BEEL AT DEMORIA | LAKE | ASSAM | 21 | 36 | 4.0 | 8.5 | 6.4 | 7.7 | 96 | 148 | 1.6 | 2.7 | 0.70 | 2.00 | 300 | 910 | 720 | 2100 |
| 3812 | KAMALPUR BEEL, KAMALPUR | LAKE | ASSAM | 18 | 35 | 1.4 | 5.6 | 7.0 | 7.7 | 1139 | 1168 | 22.5 | 29.2 | 1.60 | 4.60 | 360 | 1100 | 1400 | 3500 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|------|------------------------------|------|------------------------------|------|-----------------------------|-------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3814 | SILSAKO BEEL, CHACHAL, GUWAHATI | LAKE | ASSAM | 20 | 34 | 0.3 | 2.4 | 6.9 | 7.8 | 480 | 530 | 13.0 | 16.3 | 1.10 | 2.20 | 1100 | 2900 | 2700 | 4400 |
| 3819 | SORU SOLA BEEL, PALTAN BAZAR, GUWAHATI | LAKE | ASSAM | 20 | 33 | 0.3 | 2.3 | 6.8 | 7.5 | 471 | 526 | 25.0 | 28.5 | 1.00 | 7.00 | 1400 | 3900 | 3900 | 12000 |
| 3820 | BORSOLA BEEL, SARABBHATTI, GUWAHATI | LAKE | ASSAM | 20 | 34 | 0.3 | 2.2 | 6.8 | 7.5 | 436 | 529 | 25.5 | 34.8 | 1.20 | 4.10 | 2000 | 4300 | 2800 | 15000 |
| 3821 | DIPLAI BEEL AT SILGARA, KOKRAJHAR | LAKE | ASSAM | 21 | 34 | 4.1 | 5.1 | 7.1 | 7.5 | 43 | 65 | 1.2 | 2.4 | 0.60 | 1.00 | 300 | 730 | 360 | 1400 |
| 4337 | KAMALABARI LAKE INSIDE KAMALABARI CHILDREN,S PARK, GELEKY | LAKE | ASSAM | 17 | 32 | 4.5 | 7.6 | 6.7 | 7.6 | 31 | 59 | 1.3 | 2.6 | 0.20 | 1.10 | 2 | 2 | 2 | 930 |
| 1263 | ELANGABEEL SYSTEM POND (CONNECTED TO R. KOLANG), ASSAM | POND | ASSAM | 18 | 34 | 1.0 | 6.6 | 7.0 | 7.8 | 847 | 1004 | 2.3 | 2.9 | 1.20 | 1.80 | 300 | 1100 | 720 | 2800 |
| 2207 | BOR BEEL AT JAKAI., ASSAM | POND | ASSAM | 20 | 26 | 4.2 | 7.7 | 6.9 | 7.4 | 153 | 203 | 1.0 | 2.8 | 0.60 | 1.10 | 300 | 910 | 720 | 2100 |
| 2208 | BORPUKHURI, NAZIRA, ASSAM | POND | ASSAM | 19 | 31 | 5.2 | 7.4 | 7.1 | 7.8 | 28 | 62 | 1.4 | 2.4 | 0.60 | 1.10 | 2 | 360 | 2 | 910 |
| 2209 | GAURISAGAR TANK, GAURISAGAR, ASSAM | POND | ASSAM | 20 | 31 | 6.0 | 7.5 | 7.0 | 7.8 | 22 | 33 | 1.0 | 2.4 | 0.10 | 0.90 | 2 | 360 | 300 | 730 |
| 2210 | RAJMAW PUKHURI, JORHAT, ASSAM | POND | ASSAM | 19 | 33 | 6.3 | 7.9 | 6.8 | 8.1 | 80 | 93 | 1.9 | 2.3 | 0.40 | 1.60 | 2 | 910 | 300 | 1500 |
| 2211 | PADUMPUKHURI, TEZPUR, ASSAM | POND | ASSAM | 21 | 32 | 6.8 | 8.0 | 7.0 | 8.2 | 273 | 313 | 1.2 | 2.6 | 0.70 | 1.20 | 300 | 910 | 720 | 2000 |
| 2212 | GOPHUR TANK, GOPHUR, ASSAM | POND | ASSAM | 19 | 34 | 6.6 | 8.0 | 7.0 | 7.8 | 83 | 101 | 1.9 | 2.5 | 0.80 | 1.10 | 2 | 730 | 730 | 1500 |
| 2213 | JAIPAL PUKHURI, SIPAJHAR, ASSAM | POND | ASSAM | 21 | 32 | 7.0 | 8.3 | 7.2 | 8.2 | 168 | 190 | 1.3 | 2.4 | 0.40 | 1.10 | 300 | 1100 | 720 | 2700 |
| 2214 | BOTODRIVA SATRA POND, NAGAON, ASSAM | POND | ASSAM | 20 | 34 | 4.2 | 7.6 | 7.0 | 7.7 | 41 | 60 | 1.6 | 2.6 | 0.70 | 1.60 | 300 | 730 | 720 | 2000 |
| 2215 | SARAN BEEL, ASSAM | POND | ASSAM | 20 | 34 | 4.3 | 10.0 | 7.0 | 7.7 | 57 | 84 | 1.6 | 2.4 | 0.70 | 2.00 | 2 | 730 | 300 | 2000 |
| 2216 | DIGHALI PUKHURI, GUWAHATI, ASSAM | POND | ASSAM | 20 | 34 | 5.1 | 10.5 | 7.2 | 8.0 | 176 | 227 | 2.2 | 2.8 | 0.80 | 1.50 | 300 | 910 | 730 | 2000 |
| 2217 | SUBHAGYA KUNDA POND KAMAKHYA TEMPLE, GUWAHATI, ASSAM | POND | ASSAM | 18 | 32 | 5.2 | 10.6 | 7.0 | 7.6 | 229 | 395 | 2.2 | 2.6 | 1.00 | 2.10 | 730 | 1500 | 1400 | 3500 |
| 2219 | BISHNU PUSKAR PUKHURI OF HAYAGRIB MADHAB TEMPLE, HAJO, ASSAM | POND | ASSAM | 20 | 35 | 4.8 | 10.5 | 6.8 | 8.0 | 216 | 250 | 2.0 | 4.2 | 1.00 | 1.80 | 300 | 730 | 720 | 2100 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|------|------------------------------|------|------------------------------|--------|-----------------------------|--------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2220 | CHAND DUBI BEEL, CHAND DUBI, ASSAM | POND | ASSAM | 20 | 34 | 5.5 | 11.4 | 6.8 | 7.7 | 30 | 92 | 1.4 | 2.4 | 0.60 | 1.00 | 2 | 910 | 360 | 2800 |
| 2221 | GANGA PUKHURI, NALBARI (GORDON SCHOOL), ASSAM | POND | ASSAM | 19 | 36 | 6.4 | 11.1 | 7.2 | 8.2 | 47 | 64 | 1.7 | 2.3 | 0.60 | 1.60 | 300 | 910 | 1100 | 2100 |
| 2222 | RAJADINIA PUKHURI AT ABHAYAPURI, ASSAM | POND | ASSAM | 22 | 36 | 4.0 | 4.9 | 7.3 | 8.2 | 27 | 65 | 1.3 | 2.4 | 0.60 | 1.10 | 300 | 720 | 720 | 1500 |
| 2223 | MAHAMAYA MANDIR PUKHURI, ASSAM | POND | ASSAM | 22 | 35 | 4.1 | 4.8 | 7.2 | 7.7 | 49 | 70 | 1.3 | 2.7 | 0.40 | 1.10 | 2 | 910 | 360 | 2700 |
| 2224 | RAJAPUKHURI AT GAURIPUR, ASSAM | POND | ASSAM | 22 | 35 | 4.3 | 5.5 | 7.0 | 7.9 | 73 | 96 | 1.4 | 2.6 | 0.60 | 1.10 | 2 | 910 | 730 | 2100 |
| 2225 | BASKANDI POND INSIDE THE BASKANDI MADRASA, BASKANDI, ASSAM | POND | ASSAM | 20 | 24 | 4.1 | 5.2 | 7.2 | 7.6 | 96 | 131 | 2.0 | 2.7 | 0.70 | 1.30 | 300 | 730 | 300 | 2000 |
| 2226 | SIVASAGAR TANK (BORPUKHURI) NEAR SIVADOL, ASSAM | POND | ASSAM | 19 | 33 | 5.5 | 7.7 | 6.8 | 7.7 | 21 | 35 | 1.5 | 2.4 | 0.20 | 0.80 | 2 | 300 | 300 | 730 |
| 2227 | HORDAI PUKHURI, CHARAIDEW, ASSAM | POND | ASSAM | 19 | 32 | 4.8 | 7.2 | 6.7 | 7.8 | 22 | 57 | 1.8 | 2.5 | 0.40 | 1.10 | 2 | 2 | 2 | 730 |
| 2228 | GALA BEEL AT DERGAON, ASSAM | POND | ASSAM | 20 | 30 | 6.7 | 9.5 | 7.0 | 7.7 | 36 | 65 | 1.3 | 2.3 | 0.50 | 1.00 | 300 | 910 | 360 | 2000 |
| 3772 | BORPUKHURI AT SONARI | POND | ASSAM | 18 | 32 | 5.3 | 7.9 | 6.9 | 7.7 | 69 | 89 | 1.6 | 2.4 | 0.60 | 1.70 | 2 | 360 | 2 | 1400 |
| 3806 | POND WATER FROM RAMKRISHNA MISSION AT HAILAKANDI | POND | ASSAM | 22 | 26 | 4.1 | 5.1 | 6.3 | 7.4 | 158 | 170 | 2.0 | 2.3 | 0.60 | 1.30 | 300 | 910 | 300 | 2100 |
| 3809 | JORPUKHURI AT UZANBAZAR (UGRATALA TEMPLE) | POND | ASSAM | 20 | 35 | 4.2 | 10.3 | 7.0 | 7.7 | 387 | 421 | 2.2 | 2.7 | 0.80 | 1.80 | 360 | 1100 | 910 | 3500 |
| 4006 | NETAI PUKHURI AT NETAI PUKHURI | POND | ASSAM | 20 | 31 | 5.6 | 8.0 | 6.8 | 7.9 | 21 | 34 | 1.9 | 2.5 | 0.30 | 1.40 | 2 | 300 | 300 | 730 |
| 4334 | THOWRADOLE PUKHURI, THOWRADOLE G.P. DEMOW BLOCK | POND | ASSAM | 19 | 33 | 4.2 | 7.8 | 7.2 | 7.8 | 49 | 71 | 1.4 | 2.4 | 0.40 | 1.60 | 2 | 360 | 300 | 910 |
| 1532 | GOYSAGAR TANK, SIBSAGAR, ASSAM | TANK | ASSAM | 20 | 30 | 6.6 | 7.3 | 6.7 | 7.6 | 21 | 31 | 1.3 | 2.3 | 0.70 | 1.10 | 2 | 2 | 300 | 600 |
| 2557 | KAWAR LAKE, BEGUSARAI | LAKE | BIHAR | 16 | 36 | 3.5 | 16.0 | 7.3 | 9.0 | 205 | 263 | 1.4 | 6.1 | 0.11 | 0.20 | 780 | 160000 | 2700 | 160000 |
| 2571 | MOTI JHEEL AT MOTIHARII | LAKE | BIHAR | 17 | 30 | 4.5 | 16.6 | 7.3 | 9.7 | 627 | 1050 | 1.8 | 26.0 | 0.09 | 0.95 | 1100 | 28000 | 3300 | 160000 |
| 4296 | SIKANDRAPUR, MUZAFFARPUR | LAKE | BIHAR | 19 | 32 | 1.0 | 22.0 | 7.2 | 9.5 | 397 | 991 | 1.9 | 18.4 | 0.11 | 0.68 | 2100 | 54000 | 4600 | 92000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|--------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|-------|------------|------|------------------------------|-------|------------------------------|--------|-----------------------------|--------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2573 | TIGHI TALAB AT GAYA | POND | BIHAR | 14 | 30 | 2.9 | 13.0 | 7.1 | 9.0 | 470 | 968 | 1.2 | 5.0 | 0.18 | 5.99 | 17000 | 160000 | 22000 | 160000 |
| 2574 | SURAJ KUND AT GAYA | POND | BIHAR | 14 | 31 | 6.0 | 14.0 | 7.5 | 8.6 | 237 | 688 | 3.0 | 8.0 | 0.05 | 1.01 | 360 | 160000 | 3300 | 160000 |
| 2046 | SUKHNA LAKE, CHANDIGARH | LAKE | CHANDIGARH | 16 | 30 | 7.1 | 9.8 | 7.4 | 8.5 | 215 | 288 | 0.7 | 3.6 | 0.52 | 4.00 | 8 | 5449 | 9 | 80000 |
| 3163 | HITKASA TAILING DAM, RAJHARA, CHHATTISGARH.(DALLI RAJHARA IRON ORE MINES, DALLI RAJHARA) | LAKE | CHHATTISGARH | 23 | 36 | 6.3 | 6.9 | 7.1 | 7.7 | 308 | 308 | 7.0 | 16.0 | 0.44 | 0.44 | 1 | 360 | 6 | 1600 |
| 3164 | NEHRU NAGAR TALAB, BHILAI, CHHATTISGARH. | POND | CHHATTISGARH | 24 | 33 | 6.5 | 7.4 | 7.1 | 7.6 | 322 | 322 | 1.6 | 86.4 | 0.36 | 0.36 | 5 | 300 | 1 | 1600 |
| 3030 | SANJAY LAKE, DELHI | LAKE | DELHI | - | - | 14.2 | 14.2 | 8.1 | 8.1 | 840 | 840 | 13.0 | 13.0 | 5.90 | 5.90 | 1700 | 1700 | 16000 | 16000 |
| 3031 | BHALSWA LAKE, DELHI | LAKE | DELHI | - | - | - | - | 8.1 | 8.1 | 5250 | 5250 | 82.0 | 82.0 | 1.74 | 1.74 | 8200 | 8200 | 920000 | 920000 |
| 3476 | LAKE NEAR IIT FLYOVER, DELHI | LAKE | DELHI | - | - | 14.2 | 14.2 | 8.2 | 8.2 | 670 | 670 | 38.0 | 38.0 | 24.92 | 24.92 | 220 | 220 | 3500 | 3500 |
| 1549 | SALAU LIM LAKE AT SALAU LIM - SANGUEM, GOA | LAKE | GOA | 27 | 31 | 5.9 | 8.8 | 6.5 | 7.6 | 21 | 83 | 0.1 | 2.1 | 0.11 | 0.32 | 5 | 170 | 13 | 350 |
| 2269 | MAYEM LAKE, BICHOLIM | LAKE | GOA | 27 | 32 | 5.6 | 7.9 | 5.6 | 6.9 | 42 | 72 | 0.1 | 0.1 | 0.11 | 0.32 | 1100 | 2300 | 2200 | 4900 |
| 3175 | ANJUNEM LAKE | LAKE | GOA | 27 | 30 | 3.9 | 7.7 | 5.8 | 7.4 | 41 | 78 | 0.1 | 2.0 | 0.11 | 0.32 | 8 | 540 | 13 | 920 |
| 3176 | RUMDER LAKE | LAKE | GOA | 27 | 31 | 1.3 | 6.2 | 6.1 | 7.4 | 81 | 15330 | 0.1 | 6.2 | 0.11 | 3.61 | 1300 | 7900 | 1700 | 14000 |
| 3177 | CARAMBOLIM LAKE | LAKE | GOA | 26 | 31 | 4.8 | 8.0 | 6.3 | 8.1 | 34 | 395 | 0.1 | 3.6 | 0.11 | 0.51 | 490 | 2300 | 790 | 4900 |
| 3178 | RAIA LAKE | LAKE | GOA | 26 | 30 | 4.4 | 8.0 | 6.1 | 8.7 | 28 | 267 | 0.1 | 3.7 | 0.11 | 4.78 | 1300 | 4900 | 2300 | 7900 |
| 3179 | SAIPEM LAKE | LAKE | GOA | 28 | 30 | 4.1 | 5.8 | 7.0 | 7.3 | 176 | 358 | 0.1 | 5.0 | 0.63 | 2.59 | 3300 | 7000 | 4900 | 11000 |
| 3180 | CURTORIM LAKE | LAKE | GOA | 26 | 30 | 1.6 | 8.7 | 6.0 | 7.5 | 62 | 1671 | 0.1 | 6.2 | 0.11 | 1.96 | 1100 | 7000 | 2300 | 9400 |
| 4408 | HARWALE WATER FALL | LAKE | GOA | 27 | 31 | 7.3 | 8.0 | 6.2 | 7.3 | 55 | 153 | 0.1 | 2.3 | 0.11 | 0.45 | 1700 | 4900 | 3500 | 7000 |
| 1343 | KANKORIA LAKE AT AHMEDABAD, NR. BALVATIKA, | LAKE | GUJARAT | 25 | 30 | 5.2 | 8.7 | 7.9 | 8.9 | 2303 | 3840 | 1.8 | 21.0 | 0.07 | 0.41 | 6 | 82 | 94 | 430 |
| 1344 | CHANDOLA LAKE AT AHMEDABAD, | LAKE | GUJARAT | 25 | 30 | 5.7 | 8.2 | 7.3 | 8.3 | 36 | 601 | 2.7 | 6.0 | 0.03 | 0.33 | 15 | 92 | 120 | 460 |
| 1345 | AJWAH LAKE AT SRI SAYAJI SABVAR, BARODA, | LAKE | GUJARAT | 22 | 32 | 3.5 | 8.8 | 7.9 | 8.4 | 9 | 419 | 0.1 | 0.9 | 0.12 | 0.62 | 2 | 20 | 17 | 120 |
| 1346 | SURSAGAR LAKE AT BARODA, | LAKE | GUJARAT | 22 | 32 | 2.8 | 6.1 | 7.3 | 8.4 | 770 | 1299 | 0.1 | 5.1 | 0.18 | 0.74 | 21 | 540 | 120 | 920 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|-------|------------|-------|------------------------------|------|------------------------------|-------|-----------------------------|--------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 1972 | NALSAROVAR LAKE (SANAND), DIST.AHMEDABAD | LAKE | GUJARAT | 26 | 30 | 5.7 | 8.2 | 7.5 | 9.0 | 281 | 13220 | 1.8 | 17.0 | 0.09 | 0.35 | 8 | 170 | 110 | 350 |
| 1973 | BINDUSAROVAR, SIDDHPUR (DIST.PATAN) | LAKE | GUJARAT | 21 | 33 | 5.5 | 8.2 | 7.2 | 8.2 | 1082 | 3113 | 0.9 | 6.0 | 0.05 | 6.90 | 5 | 33 | 40 | 170 |
| 1975 | LAKHOTA TALAV, JAMNAGAR | LAKE | GUJARAT | 24 | 26 | 2.6 | 6.3 | 7.1 | 8.4 | 450 | 1360 | 0.4 | 3.0 | 0.28 | 0.32 | 6 | 7 | 17 | 27 |
| 1976 | NARSIMEHTA TALAV- JUNAGADH | LAKE | GUJARAT | 22 | 28 | 2.6 | 8.9 | 7.3 | 8.4 | 355 | 1241 | 2.1 | 26.4 | 0.04 | 2.25 | 2 | 17 | 2 | 110 |
| 1977 | CITY LAKE OF NADIAD | LAKE | GUJARAT | 20 | 34 | 3.1 | 7.0 | 7.4 | 8.7 | 651 | 1777 | 0.1 | 6.3 | 0.18 | 0.88 | 12 | 120 | 110 | 540 |
| 2076 | ANKLESHWAR RESERVOIR AT GIDC ANKLESHWAR AT VALIA ROAD. | LAKE | GUJARAT | 28 | 32 | 6.1 | 7.8 | 7.3 | 8.4 | 354 | 565 | 0.1 | 0.9 | 0.07 | 0.32 | 17 | 26 | 33 | 70 |
| 2077 | MOTICHER LAKE NEAR KAKARPAR ATOMIC POWER STATION, DIST. SURAT. | LAKE | GUJARAT | 26 | 30 | 6.7 | 7.4 | 7.0 | 8.4 | 304 | 4533 | 0.2 | 1.5 | 0.05 | 0.15 | 2 | 12 | 12 | 63 |
| 2078 | KUWADAVA LAKE, VILL. KUWADAVA, DIST. RAJKOT. | LAKE | GUJARAT | 25 | 30 | 4.2 | 7.3 | 7.3 | 8.3 | 922 | 2350 | 2.0 | 2.7 | 0.03 | 0.75 | 2 | 2 | 2 | 8 |
| 3197 | MACHHU-II DAM, RAFLESHWAR, MORBI, RAJKOT | LAKE | GUJARAT | 24 | 30 | 5.4 | 7.2 | 6.4 | 8.5 | 502 | 1832 | 0.1 | 2.3 | 0.03 | 0.28 | 2 | 2 | 2 | 2 |
| 3198 | GOMTI LAKE, OPP, RANCHODAJI TEMPLE, DAKOR, KHEDA | LAKE | GUJARAT | 21 | 31 | 4.1 | 6.3 | 7.2 | 8.2 | 383 | 562 | 0.6 | 2.6 | 0.12 | 0.68 | 12 | 94 | 84 | 350 |
| 3199 | HAMISAR TALAV, BHUJ | LAKE | GUJARAT | 26 | 32 | 6.1 | 6.9 | 7.0 | 7.7 | 371 | 695 | 1.1 | 2.6 | 0.03 | 0.23 | 2 | 7 | 2 | 26 |
| 3200 | MOONSAR LAKE OF VIRAMGAM | LAKE | GUJARAT | 27 | 30 | 0.6 | 8.3 | 8.4 | 9.2 | 704 | 18330 | 6.0 | 170.0 | 0.15 | 0.50 | 21 | 540 | 220 | 920 |
| 3201 | MALAV TALAV, DHOLKA | LAKE | GUJARAT | 27 | 30 | 4.6 | 8.6 | 9.0 | 9.3 | 2451 | 4408 | 6.0 | 24.0 | 0.04 | 0.32 | 26 | 540 | 120 | 920 |
| 3202 | VHERAIMATA TALAV AT ANAND | LAKE | GUJARAT | 25 | 29 | 4.7 | 7.5 | 7.6 | 8.4 | 250 | 802 | 3.7 | 6.4 | 0.16 | 0.18 | 210 | 1600 | 920 | 1600 |
| 1979 | OLPAD, VILLAGE POND:OLPAD, SURAT | POND | GUJARAT | 26 | 30 | 6.5 | 7.8 | 7.0 | 8.4 | 532 | 7359 | 0.3 | 2.6 | 0.06 | 0.25 | 9 | 47 | 41 | 430 |
| 2079 | DHUDHIA TALAV AT NAVSARI, DIST. NAVSARI. | POND | GUJARAT | 24 | 34 | 5.2 | 7.4 | 7.1 | 8.5 | 324 | 4317 | 0.2 | 1.8 | 0.03 | 0.28 | 2 | 36 | 2 | 84 |
| 1971 | THOL TANK (KALOL) (DIST. MEHASANA) | TANK | GUJARAT | 24 | 30 | 4.3 | 8.2 | 7.2 | 8.4 | 420 | 843 | 4.0 | 20.0 | 0.04 | 0.66 | 4 | 170 | 8 | 470 |
| 1349 | BRAHMSAROVAR LAKE AT KURUKSHETRA | LAKE | HARYANA | 14 | 28 | 7.0 | 10.5 | 7.2 | 8.1 | 216 | 1850 | 1.6 | 5.2 | 0.09 | 2.30 | 200 | 2000 | 140 | 11000 |
| 1392 | KAUSSHALAYA LAKE, PINJORE, PANCHKULA | LAKE | HARYANA | 14 | 29 | 6.7 | 9.6 | 7.0 | 8.4 | 329 | 905 | 1.2 | 7.6 | 0.06 | 3.14 | 130 | 26000 | 260 | 233000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|------------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|------|------------------------------|------|------------------------------|-----|-----------------------------|------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3032 | SULTANPUR LAKE, DELHI | LAKE | HARYANA | - | - | - | - | 7.7 | 7.7 | 300 | 300 | 2.1 | 2.1 | 7.41 | 7.41 | 2 | 2 | 2 | 2 |
| 3033 | SOHNA LAKE | LAKE | HARYANA | 5 | 13 | 6.0 | 6.8 | 7.0 | 7.9 | 340 | 920 | 4.0 | 19.0 | 2.10 | 9.30 | - | - | - | - |
| 4857 | SANHIT SAROVAR, KURUSHETRA | POND | HARYANA | 24 | 29 | 6.8 | 9.9 | 7.1 | 8.3 | 240 | 1720 | 2.2 | 7.5 | 0.05 | 2.38 | 100 | 100 | 110 | 1400 |
| 1291 | GOBINDSAGAR LAKE AT BILASPUR | LAKE | HIMACHAL PRADESH | 16 | 22 | 8.3 | 10.1 | 7.3 | 8.5 | 169 | 397 | 0.1 | 0.4 | 0.10 | 3.39 | 63 | 140 | 280 | 920 |
| 1292 | PONGDAM LAKE AT PONG VILLAGE, | LAKE | HIMACHAL PRADESH | 13 | 28 | 8.1 | 9.6 | 6.7 | 8.0 | 178 | 306 | 0.1 | 0.3 | 0.07 | 1.30 | 2 | 2 | 25 | 70 |
| 1429 | RENUKA LAKE , 35 KM FROM PATNA SAHIB NORTH | LAKE | HIMACHAL PRADESH | 15 | 27 | 6.1 | 7.6 | 6.7 | 7.6 | 483 | 6124 | 0.8 | 2.0 | 0.01 | 1.23 | 12 | 33 | 38 | 170 |
| 2649 | RIWALSAR LAKE | LAKE | HIMACHAL PRADESH | 16 | 24 | 5.6 | 9.6 | 7.1 | 8.1 | 144 | 204 | 1.6 | 9.0 | 0.06 | 1.68 | 49 | 350 | 350 | 1600 |
| 2650 | KHAZIAR LAKE | LAKE | HIMACHAL PRADESH | 3 | 22 | 5.9 | 6.7 | 6.6 | 7.9 | 60 | 139 | 0.4 | 6.5 | 0.22 | 1.63 | 2 | 20 | 32 | 240 |
| 1309 | DAL LAKE AT SRINAGAR | LAKE | JAMMU & KASHMIR | 12 | 27 | 4.9 | 9.1 | 7.2 | 8.3 | 130 | 226 | 1.3 | 2.7 | - | - | - | - | - | - |
| 2738 | (MANSAR LAKE AT MID POINT(MANSAR LAKE) | LAKE | JAMMU & KASHMIR | 15 | 24 | 7.6 | 7.8 | 7.2 | 7.7 | 105 | 220 | 0.3 | 0.4 | 0.01 | 0.02 | - | - | - | - |
| 2739 | MANSAR LAKE POINT OF DISCHARGE OF WASTE WATER FROM DIFFERENT ESTABLISHMENTS NEAR NAG TEMPLE | LAKE | JAMMU & KASHMIR | 15 | 24 | 6.2 | 7.6 | 7.3 | 7.9 | 110 | 234 | 0.4 | 0.6 | 0.02 | 0.03 | - | - | - | - |
| 2740 | (MANSAR LAKE AT MID POINT(SURINSAR LAKE), J&K | LAKE | JAMMU & KASHMIR | 8 | 24 | 5.4 | 6.8 | 8.1 | 8.2 | 120 | 212 | 3.2 | 4.8 | 0.03 | 0.04 | - | - | - | - |
| 2741 | SURINSAR LAKE POINT OF DISCHARGE OF WASTE WATER FROM DIFFERENT ESTABLISHMENTS | LAKE | JAMMU & KASHMIR | 15 | 23 | 5.2 | 6.6 | 8.2 | 8.2 | 180 | 224 | 4.0 | 5.6 | 0.04 | 0.05 | - | - | - | - |
| 3251 | DAL LAKE AT DALGATE | LAKE | JAMMU & KASHMIR | 11 | 26 | 6.2 | 8.8 | 7.3 | 7.7 | 135 | 250 | 2.4 | 3.1 | - | - | - | - | - | - |
| 3252 | DAL LAKE AT CHAIRCHINARI | LAKE | JAMMU & KASHMIR | 18 | 29 | 5.5 | 8.7 | 7.4 | 8.2 | 128 | 234 | 2.0 | 3.3 | - | - | - | - | - | - |
| 3253 | DAL LAKE NEAR NISHAT LAM | LAKE | JAMMU & KASHMIR | 18 | 27 | 4.5 | 9.6 | 7.3 | 8.6 | 154 | 284 | 3.0 | 5.6 | - | - | - | - | - | - |
| 3254 | DAL LAKE AT ABIKARPORA | LAKE | JAMMU & KASHMIR | 19 | 29 | 3.7 | 8.5 | 7.1 | 8.4 | 126 | 239 | 2.2 | 3.2 | - | - | - | - | - | - |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|-----------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|-----|------------|------|------------------------------|-----|------------------------------|-----|-----------------------------|-----|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3256 | DAL LAKE AT ENTRY POINT OF TALIBAL NALLAH | LAKE | JAMMU & KASHMIR | 14 | 29 | 3.7 | 9.9 | 7.1 | 8.4 | 106 | 377 | 1.0 | 3.3 | - | - | - | - | - | - |
| 3257 | DAL LAKE AT HABAK | LAKE | JAMMU & KASHMIR | 19 | 28 | 4.6 | 8.9 | 7.3 | 8.0 | 214 | 359 | 3.2 | 5.3 | - | - | - | - | - | - |
| 3258 | DAL LAKE AT HAZRATBAL | LAKE | JAMMU & KASHMIR | 21 | 28 | 4.8 | 8.6 | 7.4 | 8.1 | 146 | 305 | 1.6 | 4.8 | - | - | - | - | - | - |
| 3259 | DAL LAKE AT DHOBIGHAT | LAKE | JAMMU & KASHMIR | 19 | 29 | 5.0 | 8.4 | 7.2 | 8.5 | 133 | 281 | 2.0 | 4.6 | - | - | - | - | - | - |
| 3260 | DAL LAKE AT SONALANK | LAKE | JAMMU & KASHMIR | 18 | 28 | 6.5 | 7.4 | 7.6 | 8.8 | 130 | 210 | 2.0 | 2.5 | - | - | - | - | - | - |
| 3261 | DAL LAKE AT NISHAT, WATER INTAKE POINT OF NISHAT WATER TREATMENT PLANT | LAKE | JAMMU & KASHMIR | 20 | 28 | 3.9 | 7.8 | 7.9 | 8.6 | 148 | 258 | 2.6 | 4.2 | - | - | - | - | - | - |
| 3262 | DAL LAKE AT NIGEEN, WATER INTAKE PT OF POKHRIBAL WATER TREATMENT PLANT | LAKE | JAMMU & KASHMIR | 20 | 28 | 5.2 | 8.7 | 7.5 | 8.5 | 132 | 241 | 1.0 | 2.8 | - | - | - | - | - | - |
| 3263 | WULAR LAKE AT NINGLI NALLAH | LAKE | JAMMU & KASHMIR | 12 | 25 | 3.9 | 6.3 | 7.3 | 7.4 | 106 | 281 | 0.1 | 1.5 | - | - | - | - | - | - |
| 3264 | WULAR LAKE AT WATLAB | LAKE | JAMMU & KASHMIR | 17 | 25 | 3.6 | 8.7 | 7.1 | 7.4 | 108 | 269 | 0.1 | 3.1 | - | - | - | - | - | - |
| 3265 | WULAR LAKE ATKANIBATH | LAKE | JAMMU & KASHMIR | 20 | 24 | 4.1 | 8.4 | 7.2 | 7.3 | 250 | 278 | 2.0 | 4.1 | - | - | - | - | - | - |
| 3266 | WULAR LAKE AT ENTRY PT OF ERIN NALLAH | LAKE | JAMMU & KASHMIR | 15 | 21 | 3.3 | 5.4 | 7.2 | 7.3 | 108 | 180 | 0.1 | 2.2 | - | - | - | - | - | - |
| 4040 | DAL AT ASHAIBAGH BRIDGE | LAKE | JAMMU & KASHMIR | 19 | 30 | 5.6 | 8.7 | 7.6 | 8.2 | 143 | 227 | 1.0 | 2.6 | - | - | - | - | - | - |
| 4041 | DAL AT NAYADYAR | LAKE | JAMMU & KASHMIR | 14 | 29 | 0.9 | 3.4 | 7.0 | 7.7 | 316 | 686 | 3.2 | 16.9 | - | - | - | - | - | - |
| 4042 | DAL AT JOGILANKER | LAKE | JAMMU & KASHMIR | 14 | 29 | 0.5 | 3.2 | 7.1 | 7.5 | 350 | 708 | 3.6 | 17.4 | - | - | - | - | - | - |
| 4043 | ANCHAR AT SINDH INFLOW | LAKE | JAMMU & KASHMIR | 13 | 27 | 2.7 | 8.0 | 7.3 | 7.8 | 125 | 528 | 1.4 | 3.6 | - | - | - | - | - | - |
| 4044 | ANCHAR AT CENTRAL SITE | LAKE | JAMMU & KASHMIR | 16 | 30 | 2.7 | 7.2 | 7.1 | 7.6 | 228 | 417 | 1.6 | 4.5 | - | - | - | - | - | - |
| 4045 | ANCHAR AT SANGAM | LAKE | JAMMU & KASHMIR | 17 | 29 | 0.7 | 4.5 | 7.1 | 7.3 | 185 | 520 | 2.4 | 4.9 | - | - | - | - | - | - |
| 4046 | ANCHAR NEAR LKIMS | LAKE | JAMMU & KASHMIR | 19 | 29 | 0.7 | 2.6 | 7.1 | 8.3 | 205 | 505 | 3.4 | 6.4 | - | - | - | - | - | - |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|-----------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|------|------------------------------|-------|------------------------------|--------|-----------------------------|---------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4047 | ANCHAR AT JENAB SAHAB SOURA | LAKE | JAMMU & KASHMIR | 17 | 27 | 1.0 | 2.2 | 7.0 | 7.2 | 194 | 493 | 4.0 | 6.2 | - | - | - | - | - | - |
| 4048 | WULAR AT SADERKOTE | LAKE | JAMMU & KASHMIR | 19 | 24 | 1.8 | 7.3 | 7.0 | 7.2 | 103 | 499 | 2.4 | 10.4 | - | - | - | - | - | - |
| 4049 | WULAR AT ZALWAN | LAKE | JAMMU & KASHMIR | 18 | 19 | 2.8 | 7.2 | 7.0 | 7.6 | 90 | 241 | 1.6 | 5.8 | - | - | - | - | - | - |
| 4050 | WULAR AT LANKRISH PORA | LAKE | JAMMU & KASHMIR | 16 | 16 | 3.5 | 3.5 | 7.1 | 7.1 | 260 | 260 | 5.8 | 5.8 | - | - | - | - | - | - |
| 2394 | TOP CHANCHI LAKE | LAKE | JHARKHAND | 15 | 33 | 7.4 | 7.9 | 7.4 | 7.6 | - | - | 0.9 | 1.5 | - | - | - | - | - | - |
| 2398 | DIMNA LAKE, DIMNA | LAKE | JHARKHAND | 15 | 33 | 7.2 | 7.8 | 7.4 | 7.5 | 152 | 162 | 0.7 | 1.1 | 1.28 | 1.76 | - | - | - | - |
| 2402 | HAZARIBAGH MEETHAJHIL | LAKE | JHARKHAND | 16 | 29 | 6.4 | 8.3 | 6.7 | 7.6 | - | - | 1.1 | 2.8 | - | - | - | - | - | - |
| 2393 | SHIV GANGA POND, DEOGHAR | POND | JHARKHAND | 16 | 35 | 8.0 | 8.8 | 7.2 | 8.6 | 308 | 318 | 2.1 | 18.8 | - | - | - | - | - | - |
| 4491 | HOLY POND OF SHIV GANGA JARMUNDI, DUMKA | POND | JHARKHAND | 15 | 37 | 4.5 | 4.8 | 8.2 | 8.6 | 300 | 312 | 2.2 | 2.6 | - | - | - | - | - | - |
| 4740 | LOCO TALAB) PUMPU TALAB), AT- BARMASIA, DHANBAD | POND | JHARKHAND | 15 | 32 | 1.8 | 5.6 | 7.2 | 7.7 | - | - | 4.8 | 15.1 | - | - | - | - | - | - |
| 4741 | RANIBANDH TALAB NEAR ISM, DHANBAD | POND | JHARKHAND | 14 | 30 | 1.8 | 6.0 | 7.1 | 7.6 | - | - | 10.5 | 14.0 | - | - | - | - | - | - |
| 1388 | ULSOOR LAKE TRAINING CENTRE OF FISH BREEDING, | LAKE | KARNATAKA | 25 | 27 | 3.4 | 8.5 | 7.0 | 9.3 | 317 | 479 | 3.0 | 60.0 | 0.50 | 4.31 | 940 | 34000 | 5400 | 240000 |
| 1446 | HEBALLA VALLEY LAKE AT D/S ROAD BRIDGE NR. MANDYA, | LAKE | KARNATAKA | 23 | 28 | 2.0 | 6.1 | 7.5 | 8.2 | 387 | 891 | 3.0 | 5.8 | 2.40 | 7.50 | 330 | 1200 | 2200 | 4300 |
| 3582 | HEBBAL LAKE | LAKE | KARNATAKA | 20 | 34 | 0.3 | 3.6 | 7.4 | 8.5 | 1076 | 2490 | 9.0 | 17.2 | 0.83 | 11.30 | 2100 | 4300 | 8400 | 13000 |
| 3583 | KUKKARAHALLI LAKE | LAKE | KARNATAKA | 21 | 29 | 6.0 | 6.9 | 7.9 | 9.2 | 512 | 633 | 2.8 | 5.2 | 1.00 | 2.80 | 580 | 1700 | 4300 | 6300 |
| 3584 | DALAVAI LAKE | LAKE | KARNATAKA | 21 | 32 | 0.5 | 3.2 | 7.3 | 8.3 | 722 | 1176 | 7.4 | 15.2 | 1.90 | 5.30 | 2100 | 6300 | 8400 | 14000 |
| 3585 | YENNEHOLE LAKE | LAKE | KARNATAKA | 19 | 33 | 0.3 | 2.8 | 7.4 | 8.4 | 919 | 1168 | 9.6 | 16.0 | 2.10 | 8.40 | 2100 | 7000 | 8400 | 15000 |
| 3586 | LIMBHABUDI LAKE | LAKE | KARNATAKA | 20 | 32 | 4.5 | 6.0 | 7.5 | 8.8 | 612 | 1270 | 3.5 | 7.5 | 3.40 | 7.60 | 1100 | 2200 | 4800 | 7000 |
| 3587 | SHETTYKERE LAKE | LAKE | KARNATAKA | 20 | 32 | 5.2 | 6.5 | 7.5 | 8.8 | 494 | 978 | 3.0 | 6.0 | 1.20 | 6.50 | 910 | 2100 | 4800 | 6300 |
| 3591 | KEMPAMBUDHI LAKE | LAKE | KARNATAKA | 24 | 31 | 4.1 | 11.5 | 6.6 | 8.3 | 397 | 723 | 3.4 | 17.0 | 0.01 | 4.00 | 1700 | 330000 | 9200 | 3500000 |
| 3592 | YEDIYUR LAKE | LAKE | KARNATAKA | 24 | 30 | 4.0 | 8.4 | 7.3 | 9.2 | 250 | 725 | 3.0 | 16.0 | 0.31 | 3.20 | 940 | 15000 | 5400 | 160000 |
| 3593 | ULSOOR LAKE TEMPLE | LAKE | KARNATAKA | 25 | 27 | 3.5 | 11.3 | 7.0 | 9.0 | 320 | 500 | 3.0 | 25.0 | 0.90 | 2.35 | 4100 | 210000 | 24000 | 1600000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|-----------------------------|--------------------|------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|-------|------------------------------|-------|------------------------------|----------|-----------------------------|-----------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3601 | KARIHOBANAHALLI LAKE | LAKE | KARNATAKA | 23 | 30 | 0.9 | 5.3 | 6.5 | 7.9 | 992 | 2644 | 6.0 | 32.0 | 1.00 | 57.00 | 630 | 94000 | 5400 | 540000 |
| 3602 | BELLANDUR LAKE | LAKE | KARNATAKA | 25 | 29 | 0.3 | 6.5 | 6.5 | 7.5 | 554 | 2107 | 0.5 | 32.0 | 1.61 | 16.00 | 12000 | 7000000 | 92000 | 54000000 |
| 3608 | VARTHUR LAKE | LAKE | KARNATAKA | 25 | 29 | 0.3 | 6.8 | 6.5 | 8.1 | 880 | 1520 | 3.0 | 174.0 | 1.85 | 7.60 | 7000 | 23000000 | 54000 | 240000000 |
| 3609 | IBBALUR LAKE | LAKE | KARNATAKA | 25 | 28 | 0.5 | 6.2 | 6.6 | 8.0 | 328 | 1386 | 3.5 | 31.0 | 0.51 | 10.00 | 330 | 3300000 | 3500 | 24000000 |
| 3610 | TUBRAHALLI LAKE | LAKE | KARNATAKA | 24 | 30 | 0.5 | 10.5 | 6.8 | 8.4 | 1250 | 2050 | 6.0 | 70.0 | 1.20 | 4.56 | 4800 | 2100000 | 7000 | 16000000 |
| 3611 | KAIKONDAHALLI LAKE | LAKE | KARNATAKA | 25 | 29 | 3.4 | 6.5 | 6.9 | 8.0 | 702 | 1961 | 3.0 | 20.0 | 0.60 | 9.00 | 3300 | 94000 | 24000 | 540000 |
| 3612 | AGARAM LAKE | LAKE | KARNATAKA | 25 | 28 | 3.7 | 6.8 | 6.8 | 7.5 | 814 | 1103 | 3.4 | 15.0 | 0.72 | 8.00 | 4800 | 70000 | 35000 | 920000 |
| 3613 | GOTTIGERE LAKE | LAKE | KARNATAKA | 25 | 25 | 6.1 | 6.1 | 6.5 | 6.5 | 1101 | 1101 | 4.0 | 4.0 | 1.90 | 1.90 | 17000 | 17000 | 92000 | 92000 |
| 3614 | PUTTENAHALLI LAKE (S) | LAKE | KARNATAKA | 25 | 28 | 3.8 | 7.1 | 6.7 | 7.9 | 688 | 1410 | 2.7 | 9.0 | 0.65 | 4.50 | 330 | 110000 | 3500 | 920000 |
| 3615 | ARAKERE LAKE | LAKE | KARNATAKA | 25 | 28 | 2.6 | 7.2 | 6.5 | 7.9 | 720 | 1961 | 3.0 | 45.0 | 1.20 | 6.50 | 790 | 46000 | 9200 | 350000 |
| 3616 | KALENA AGRAHARA LAKE | LAKE | KARNATAKA | 25 | 29 | 3.4 | 7.0 | 6.6 | 7.9 | 682 | 1338 | 3.1 | 13.0 | 0.64 | 12.00 | 340 | 70000 | 3500 | 920000 |
| 3617 | HULIMAVU LAKE | LAKE | KARNATAKA | 25 | 28 | 4.0 | 7.1 | 6.5 | 7.7 | 370 | 1343 | 2.6 | 11.0 | 1.00 | 2.40 | 840 | 79000 | 9200 | 540000 |
| 3618 | SINGASANDRA LAKE | LAKE | KARNATAKA | 25 | 29 | 4.1 | 11.5 | 6.4 | 8.0 | 378 | 1472 | 2.6 | 20.0 | 0.70 | 3.21 | 630 | 120000 | 5400 | 920000 |
| 3620 | PARAPPANA AGRAHARA LAKE | LAKE | KARNATAKA | 25 | 28 | 1.0 | 6.2 | 6.4 | 8.1 | 641 | 1482 | 3.0 | 24.0 | 1.06 | 3.30 | 630 | 130000 | 5400 | 920000 |
| 3621 | HARALAKUNTE LAKE | LAKE | KARNATAKA | 25 | 29 | 0.3 | 8.4 | 6.7 | 7.9 | 510 | 1069 | 3.4 | 39.0 | 0.71 | 11.00 | 410 | 3400000 | 3500 | 24000000 |
| 3624 | PUTTENAHALLI LAKE | LAKE | KARNATAKA | 25 | 30 | 3.8 | 6.7 | 5.3 | 8.0 | 575 | 1100 | 3.0 | 13.0 | 0.84 | 12.00 | 460 | 140000 | 5400 | 920000 |
| 3625 | HEBBAL LAKE | LAKE | KARNATAKA | 25 | 28 | 2.4 | 6.5 | 6.0 | 7.7 | 178 | 702 | 2.0 | 15.0 | 0.40 | 5.89 | 1500 | 1400000 | 16000 | 9200000 |
| 3627 | JAKKUR LAKE | LAKE | KARNATAKA | 25 | 31 | 2.3 | 5.8 | 6.4 | 9.8 | 702 | 1160 | 7.0 | 39.0 | 0.90 | 7.32 | 630 | 1200000 | 5400 | 9200000 |
| 3628 | AMRUTHAHALLI LAKE | LAKE | KARNATAKA | 25 | 30 | 3.0 | 6.1 | 6.4 | 8.2 | 266 | 1184 | 3.0 | 17.0 | 0.46 | 3.77 | 1700 | 940000 | 16000 | 5400000 |
| 3644 | MULBHAGAL LAKE | LAKE | KARNATAKA | 25 | 25 | 5.3 | 5.3 | 6.9 | 6.9 | 1264 | 1264 | 7.0 | 7.0 | 2.40 | 2.40 | 4600 | 4600 | 35000 | 35000 |
| 3645 | DEVARAYASAMUDRA LAKE | LAKE | KARNATAKA | 25 | 25 | 6.3 | 6.3 | 6.6 | 6.6 | 182 | 182 | 4.0 | 4.0 | 0.46 | 0.46 | 4100 | 4100 | 24000 | 24000 |
| 3646 | NARASAPURA LAKE | LAKE | KARNATAKA | 23 | 28 | 3.4 | 9.0 | 7.4 | 8.2 | 685 | 924 | 3.0 | 8.0 | 1.40 | 5.20 | 940 | 12000 | 5400 | 92000 |
| 3649 | BUGUDANAHALLI LAKE | LAKE | KARNATAKA | 18 | 32 | 4.5 | 7.0 | 6.1 | 8.3 | 135 | 1612 | 2.0 | 8.0 | 0.12 | 3.83 | 390 | 1200000 | 5400 | 9200000 |
| 3654 | GOTTIGERE LAKE | LAKE | KARNATAKA | 25 | 33 | 0.5 | 6.0 | 5.5 | 7.8 | 340 | 2014 | 6.0 | 36.0 | 0.86 | 10.00 | 84 | 40000 | 920 | 350000 |
| 3679 | BHUTANALA LAKE | LAKE | KARNATAKA | 24 | 30 | 6.1 | 8.9 | 8.1 | 8.8 | 386 | 1200 | 1.1 | 9.9 | 0.61 | 3.96 | 500 | 920 | 900 | 1600 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|-------|------------------------------|-------|------------------------------|---------|-----------------------------|----------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3680 | KILLA LAKE | LAKE | KARNATAKA | 22 | 26 | 6.3 | 8.9 | 7.7 | 8.8 | 316 | 456 | 1.0 | 4.7 | 0.52 | 3.76 | 350 | 920 | 900 | 1600 |
| 3685 | NAVALOORU LAKE | LAKE | KARNATAKA | 24 | 26 | 6.5 | 7.1 | 7.4 | 8.3 | 525 | 790 | 3.3 | 4.3 | 0.69 | 0.99 | 9 | 120 | 120 | 788 |
| 4094 | GANGONDANA HALLI LAKE, BENGALURU NORTH | LAKE | KARNATAKA | 24 | 36 | 0.2 | 6.9 | 5.7 | 7.2 | 243 | 2887 | 4.0 | 258.0 | 0.87 | 16.00 | 3300 | 1200000 | 24000 | 9200000 |
| 4095 | CHIKKABANVARA LAKE, CHIKKABANWARA, BENGALURU NORTH | LAKE | KARNATAKA | 25 | 32 | 0.6 | 6.0 | 6.0 | 7.9 | 419 | 1954 | 3.3 | 36.0 | 1.40 | 11.00 | 1700 | 84000 | 9200 | 1600000 |
| 4096 | ANDHRAHALLI LAKE, ANDHRAHALLI, BENGALURU | LAKE | KARNATAKA | 24 | 36 | 0.1 | 6.4 | 6.5 | 8.2 | 306 | 1572 | 4.0 | 30.0 | 0.72 | 15.00 | 940 | 460000 | 5400 | 5400000 |
| 4097 | KACHOHALLI LAKE, KACHOHALLI, BENGALURU NORTH | LAKE | KARNATAKA | 24 | 37 | 0.5 | 6.7 | 6.7 | 7.5 | 1204 | 2278 | 2.0 | 39.0 | 1.30 | 13.00 | 490 | 150000 | 5400 | 1600000 |
| 4504 | SARAKKI LAKE | LAKE | KARNATAKA | 24 | 30 | 3.5 | 7.0 | 6.6 | 8.2 | 329 | 920 | 3.0 | 9.0 | 0.34 | 14.00 | 1100 | 34000 | 9200 | 240000 |
| 4505 | NELAMANGALA LAKE | LAKE | KARNATAKA | 25 | 30 | 4.0 | 6.5 | 6.2 | 9.2 | 121 | 2047 | 3.0 | 35.0 | 0.33 | 20.10 | 700 | 1700000 | 5400 | 9200000 |
| 4506 | ABBIGERE LAKE | LAKE | KARNATAKA | 24 | 33 | 0.4 | 5.9 | 6.5 | 7.0 | 425 | 1553 | 5.0 | 11.0 | 0.80 | 14.00 | 700 | 63000 | 5400 | 540000 |
| 4507 | CHELEKERE LAKE | LAKE | KARNATAKA | 25 | 31 | 3.2 | 7.4 | 6.1 | 8.0 | 267 | 945 | 2.0 | 16.0 | 0.48 | 5.60 | 480 | 170000 | 3500 | 1600000 |
| 4508 | SINGAPURA LAKE | LAKE | KARNATAKA | 25 | 31 | 0.5 | 6.0 | 6.4 | 8.0 | 594 | 1954 | 3.0 | 30.0 | 1.20 | 13.90 | 4000 | 1200000 | 35000 | 92000000 |
| 4509 | NARASIPURA LAKE | LAKE | KARNATAKA | 24 | 31 | 4.0 | 7.2 | 6.0 | 7.9 | 267 | 741 | 2.0 | 8.0 | 0.68 | 4.00 | 790 | 2300000 | 9200 | 35000000 |
| 4510 | RACHENAHALLI LAKE | LAKE | KARNATAKA | 25 | 31 | 2.1 | 5.7 | 6.6 | 9.7 | 729 | 1368 | 4.0 | 30.0 | 0.77 | 6.00 | 6300 | 46000 | 54000 | 540000 |
| 4514 | SADRAMANGALA LAKE | LAKE | KARNATAKA | 25 | 28 | 3.4 | 6.2 | 6.1 | 7.8 | 577 | 1405 | 4.0 | 10.0 | 0.03 | 3.40 | 480 | 63000 | 2400 | 540000 |
| 4515 | BATTARAHALLI LAKE | LAKE | KARNATAKA | 25 | 28 | 2.4 | 6.8 | 6.6 | 8.2 | 757 | 1164 | 5.0 | 15.0 | 0.90 | 3.08 | 4600 | 490000 | 34000 | 2400000 |
| 4516 | KUNDALAHALLI LAKE | LAKE | KARNATAKA | 24 | 26 | 4.2 | 6.9 | 7.1 | 7.8 | 882 | 1405 | 3.0 | 10.0 | 0.03 | 3.30 | 480 | 17000 | 3500 | 160000 |
| 4517 | KOWDHENAHALLI LAKE | LAKE | KARNATAKA | 25 | 27 | 3.2 | 8.2 | 6.1 | 7.1 | 287 | 928 | 3.0 | 15.0 | 1.20 | 6.71 | 4100 | 150000 | 54000 | 1600000 |
| 4518 | GARUDACHARPALYA LAKE | LAKE | KARNATAKA | 25 | 26 | 2.0 | 6.1 | 6.4 | 8.7 | 470 | 885 | 4.0 | 15.0 | 0.48 | 10.00 | 700 | 21000 | 5400 | 160000 |
| 4519 | RAMPURA LAKE | LAKE | KARNATAKA | 25 | 26 | 0.3 | 3.0 | 6.1 | 7.2 | 528 | 1413 | 6.6 | 128.0 | 0.91 | 13.30 | 11000 | 940000 | 92000 | 5400000 |
| 4520 | CHINNAPANHALLI LAKE | LAKE | KARNATAKA | 24 | 27 | 0.5 | 5.2 | 7.0 | 9.2 | 729 | 1309 | 6.0 | 37.5 | 1.50 | 11.00 | 4100 | 94000 | 35000 | 920000 |
| 4521 | DEVARABEESANAHALLI LAKE | LAKE | KARNATAKA | 25 | 29 | 2.8 | 11.0 | 6.6 | 8.0 | 680 | 1228 | 3.2 | 14.0 | 0.13 | 3.30 | 460 | 63000 | 3500 | 540000 |
| 4523 | NALLURAHALLI LAKE | LAKE | KARNATAKA | 29 | 29 | 1.4 | 3.0 | 7.2 | 7.3 | 1176 | 1314 | 10.0 | 17.0 | 4.00 | 14.00 | 46000 | 70000 | 540000 | 540000 |
| 4524 | PATTANDUR AGARAHARA | LAKE | KARNATAKA | 24 | 29 | 1.0 | 5.8 | 6.7 | 7.6 | 445 | 1415 | 4.0 | 12.0 | 0.70 | 10.00 | 4100 | 330000 | 24000 | 3500000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|-----------------------------|--------------------|------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|-------|------------------------------|-------|------------------------------|---------|-----------------------------|----------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4525 | SEETHARAM PALYA LAKE | LAKE | KARNATAKA | 24 | 29 | 1.0 | 4.1 | 6.7 | 7.5 | 1082 | 2293 | 9.0 | 37.0 | 0.19 | 16.00 | 3300 | 150000 | 35000 | 1600000 |
| 4529 | KASAVANAHALLI LAKE | LAKE | KARNATAKA | 25 | 28 | 3.6 | 5.6 | 6.8 | 8.0 | 738 | 1330 | 3.0 | 10.0 | 1.15 | 1.90 | 7900 | 4800000 | 54000 | 35000000 |
| 4533 | ULLALU LAKE | LAKE | KARNATAKA | 23 | 29 | 2.4 | 7.2 | 6.9 | 8.2 | 917 | 1883 | 4.0 | 9.0 | 2.61 | 47.00 | 460 | 11000 | 3500 | 92000 |
| 4534 | SOMPURA LAKE | LAKE | KARNATAKA | 25 | 32 | 4.7 | 7.0 | 6.3 | 7.6 | 268 | 871 | 2.0 | 5.0 | 0.30 | 4.47 | 1200 | 43000 | 9200 | 540000 |
| 4535 | GUBBALAL KERE | LAKE | KARNATAKA | 25 | 31 | 0.6 | 6.5 | 6.7 | 7.8 | 1073 | 2298 | 4.0 | 32.0 | 3.00 | 7.00 | 460 | 4800000 | 3500 | 35000000 |
| 4536 | HOSAKEREHALLI LAKE | LAKE | KARNATAKA | 20 | 32 | 2.4 | 6.7 | 6.3 | 7.9 | 380 | 1648 | 3.0 | 16.0 | 1.09 | 4.10 | 540 | 700000 | 9200 | 5400000 |
| 4537 | CHINNAKURCHI KERE | LAKE | KARNATAKA | 24 | 32 | 5.0 | 6.9 | 6.5 | 8.2 | 248 | 593 | 3.0 | 5.0 | 0.61 | 5.00 | 1200 | 70000 | 9200 | 350000 |
| 4538 | MACHOHALLI LAKE | LAKE | KARNATAKA | 23 | 37 | 1.0 | 6.6 | 6.0 | 7.4 | 607 | 3008 | 2.0 | 57.0 | 1.11 | 8.11 | 630 | 94000 | 5400 | 540000 |
| 4539 | DODDABIDARAKALLU LAKE | LAKE | KARNATAKA | 24 | 35 | 0.1 | 7.0 | 6.5 | 7.9 | 294 | 2086 | 3.0 | 38.0 | 1.39 | 20.00 | 1100 | 1200000 | 16000 | 9200000 |
| 4540 | KAMMGONDANAHALLI LAKE | LAKE | KARNATAKA | 24 | 32 | 1.0 | 6.1 | 6.1 | 8.5 | 313 | 1553 | 3.6 | 120.0 | 2.00 | 6.32 | 790 | 1100000 | 5400 | 9200000 |
| 4542 | BASAVANAPURA LAKE | LAKE | KARNATAKA | 25 | 28 | 1.9 | 9.4 | 6.8 | 7.9 | 600 | 1254 | 4.0 | 13.0 | 0.97 | 3.40 | 460 | 48000 | 3500 | 350000 |
| 4543 | KODI SINGASANDRA LAKE | LAKE | KARNATAKA | 25 | 29 | 3.8 | 6.5 | 6.7 | 8.0 | 337 | 1104 | 3.4 | 18.0 | 0.68 | 13.20 | 1700 | 110000 | 9200 | 1600000 |
| 4544 | KOTHUNURU LAKE | LAKE | KARNATAKA | 25 | 28 | 2.6 | 12.0 | 6.7 | 7.6 | 332 | 1000 | 4.2 | 30.0 | 0.47 | 3.30 | 790 | 23000 | 9200 | 350000 |
| 4545 | JUNGU KERE | LAKE | KARNATAKA | 28 | 28 | 3.5 | 6.2 | 7.3 | 7.6 | 868 | 1197 | 4.0 | 16.0 | 3.00 | 9.00 | 700 | 7900 | 5400 | 92000 |
| 4546 | JAKKSANDRA LAKE | LAKE | KARNATAKA | 25 | 28 | 1.0 | 6.3 | 6.8 | 7.5 | 625 | 1236 | 4.0 | 10.0 | 0.67 | 13.00 | 1200 | 14000 | 9200 | 92000 |
| 4547 | SWARANA KUNTE | LAKE | KARNATAKA | 25 | 28 | 4.1 | 6.0 | 7.0 | 7.8 | 660 | 1066 | 4.0 | 8.0 | 0.78 | 3.00 | 940 | 140000 | 5400 | 1600000 |
| 3559 | HULLIGE TANK | TANK | KARNATAKA | 20 | 28 | 6.8 | 7.2 | 7.1 | 8.7 | 260 | 418 | 3.0 | 6.0 | 0.10 | 0.30 | 350 | 1100 | 1600 | 3500 |
| 3560 | MAVENAKERE TANK | TANK | KARNATAKA | 24 | 30 | 3.8 | 8.6 | 8.6 | 9.4 | 810 | 3142 | 16.0 | 39.0 | 0.10 | 1.25 | 6300 | 28000 | 22000 | 92000 |
| 3561 | HUNDIKERE (KOPPAL) TANK | TANK | KARNATAKA | 20 | 28 | 6.8 | 7.2 | 7.5 | 9.1 | 278 | 521 | 4.0 | 6.0 | 0.10 | 0.30 | 580 | 1100 | 2100 | 3500 |
| 3565 | PILIKULA TANK | TANK | KARNATAKA | 27 | 32 | 5.3 | 7.6 | 6.6 | 7.4 | 128 | 166 | 2.0 | 3.0 | 0.08 | 2.49 | 2 | 1600 | 7 | 1600 |
| 3588 | KARANJIKERE TANK | TANK | KARNATAKA | 21 | 26 | 4.5 | 6.7 | 7.2 | 8.4 | 552 | 868 | 3.0 | 7.2 | 1.50 | 5.00 | 780 | 1300 | 4300 | 6300 |
| 3589 | MADIWALA TANK | TANK | KARNATAKA | 25 | 28 | 4.5 | 6.9 | 6.5 | 7.6 | 487 | 1661 | 3.0 | 9.0 | 0.83 | 3.80 | 940 | 940000 | 5400 | 9200000 |
| 3590 | LALBAGH TANK | TANK | KARNATAKA | 24 | 30 | 4.0 | 8.2 | 6.9 | 8.2 | 399 | 592 | 4.0 | 9.0 | 0.12 | 3.31 | 230 | 14000 | 3500 | 160000 |
| 3594 | SANKEY TANK | TANK | KARNATAKA | 25 | 27 | 3.6 | 7.6 | 6.5 | 8.6 | 357 | 570 | 3.0 | 8.0 | 0.18 | 4.59 | 230 | 70000 | 3500 | 540000 |
| 3595 | BYRASANDRA TANK | TANK | KARNATAKA | 25 | 28 | 0.5 | 6.3 | 6.0 | 8.3 | 426 | 1469 | 4.0 | 41.0 | 0.58 | 4.00 | 4600 | 210000 | 54000 | 1600000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|-----------------------------|--------------------|------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|------|------------------------------|-------|------------------------------|----------|-----------------------------|-----------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3596 | NAYANDANAHALLI TANK | TANK | KARNATAKA | 22 | 28 | 4.0 | 6.8 | 5.6 | 6.6 | 187 | 415 | 3.0 | 6.0 | 0.41 | 2.89 | 700 | 150000 | 5400 | 1600000 |
| 3597 | HESARAGHATTA TANK | TANK | KARNATAKA | 24 | 34 | 0.9 | 6.7 | 6.3 | 7.7 | 76 | 1852 | 2.0 | 31.0 | 0.82 | 4.50 | 790 | 170000 | 9200 | 1600000 |
| 3598 | HEROHALLI TANK | TANK | KARNATAKA | 23 | 36 | 2.5 | 12.0 | 6.7 | 8.7 | 124 | 1228 | 4.0 | 29.0 | 1.15 | 4.70 | 700 | 1200000 | 5400 | 9200000 |
| 3599 | MADAVARA TANK | TANK | KARNATAKA | 23 | 35 | 3.0 | 6.2 | 6.2 | 8.5 | 525 | 1594 | 4.0 | 20.0 | 1.00 | 5.90 | 79 | 48000 | 9200 | 350000 |
| 3600 | SHIVAPURA TANK | TANK | KARNATAKA | 22 | 30 | 0.5 | 8.4 | 6.5 | 8.2 | 1114 | 3780 | 6.0 | 46.0 | 2.42 | 16.00 | 1100 | 1500000 | 9200 | 16000000 |
| 3603 | VENGAIHNAKERE | TANK | KARNATAKA | 25 | 33 | 0.5 | 6.5 | 6.6 | 7.5 | 277 | 1791 | 4.0 | 50.0 | 1.66 | 12.20 | 840 | 480000 | 9200 | 5400000 |
| 3604 | DODDANAKUNDI TANK | TANK | KARNATAKA | 25 | 25 | 4.6 | 5.3 | 6.2 | 6.9 | 714 | 791 | 5.0 | 8.0 | 1.10 | 3.61 | 6300 | 17000 | 54000 | 92000 |
| 3605 | YELLAMALLAPPA TANK | TANK | KARNATAKA | 25 | 28 | 0.5 | 5.8 | 6.3 | 7.7 | 637 | 1988 | 4.0 | 51.0 | 1.40 | 29.00 | 790 | 94000 | 16000 | 920000 |
| 3606 | DASARAHALLI TANK | TANK | KARNATAKA | 24 | 33 | 0.6 | 13.5 | 6.4 | 7.6 | 243 | 1354 | 3.0 | 13.0 | 0.73 | 13.00 | 700 | 48000 | 5400 | 350000 |
| 3607 | KALKERE TANK | TANK | KARNATAKA | 25 | 28 | 0.5 | 8.6 | 6.0 | 8.2 | 525 | 1973 | 4.0 | 40.0 | 0.83 | 7.40 | 4600 | 1400000 | 35000 | 9200000 |
| 3619 | BEGUR TANK | TANK | KARNATAKA | 25 | 28 | 2.0 | 6.2 | 6.5 | 7.9 | 726 | 1478 | 3.0 | 29.0 | 0.60 | 8.73 | 400 | 120000 | 3500 | 920000 |
| 3623 | ANEKAL DODDAKERE TANK | TANK | KARNATAKA | 25 | 30 | 3.3 | 8.2 | 6.5 | 8.3 | 351 | 2770 | 2.0 | 22.0 | 1.10 | 7.46 | 460 | 140000 | 3500 | 920000 |
| 3626 | NAGAVARA TANK | TANK | KARNATAKA | 25 | 32 | 2.1 | 8.5 | 6.4 | 7.9 | 267 | 1185 | 3.0 | 21.0 | 0.80 | 5.80 | 120 | 46000000 | 920 | 350000000 |
| 3629 | ALLASANDRA TANK | TANK | KARNATAKA | 25 | 30 | 3.0 | 7.5 | 7.0 | 9.0 | 474 | 1445 | 4.0 | 13.0 | 1.00 | 3.30 | 4600 | 3300000 | 35000 | 24000000 |
| 3630 | YELAHANKA TANK | TANK | KARNATAKA | 25 | 31 | 0.5 | 7.8 | 5.9 | 9.7 | 428 | 1443 | 2.0 | 35.0 | 1.22 | 6.90 | 3300 | 110000 | 35000 | 1600000 |
| 3632 | VEERAPURA TANK | TANK | KARNATAKA | 24 | 26 | 0.5 | 6.1 | 6.3 | 7.8 | 262 | 2880 | 4.0 | 77.0 | 0.90 | 5.74 | 630 | 940000 | 5400 | 5400000 |
| 3633 | SUBRAMANYAPURA TANK | TANK | KARNATAKA | 25 | 34 | 3.8 | 7.0 | 6.4 | 7.9 | 920 | 1853 | 4.0 | 28.0 | 1.40 | 7.72 | 580 | 58000 | 9200 | 920000 |
| 3634 | DEVARAKERE TANK | TANK | KARNATAKA | 24 | 35 | 3.5 | 6.8 | 6.5 | 7.7 | 261 | 1936 | 2.6 | 9.0 | 0.61 | 2.18 | 460 | 130000 | 5400 | 920000 |
| 3635 | MALATHAHALLI TANK | TANK | KARNATAKA | 20 | 29 | 0.3 | 5.2 | 6.6 | 7.9 | 912 | 1570 | 5.0 | 95.0 | 2.10 | 11.00 | 6300 | 15000000 | 54000 | 160000000 |
| 3636 | BANDEMATTA TANK | TANK | KARNATAKA | 24 | 29 | 0.5 | 6.1 | 6.5 | 8.0 | 670 | 1276 | 4.0 | 15.0 | 2.00 | 11.70 | 4300 | 15000 | 35000 | 160000 |
| 3637 | BYRAMANGALA TANK | TANK | KARNATAKA | 25 | 26 | 0.9 | 6.5 | 6.5 | 7.6 | 850 | 1330 | 4.0 | 28.0 | 0.32 | 5.40 | 1400 | 140000 | 9200 | 1600000 |
| 3638 | ANNAYAPPA TANK | TANK | KARNATAKA | 24 | 31 | 4.3 | 6.7 | 6.5 | 8.0 | 225 | 400 | 3.0 | 8.0 | 0.02 | 3.10 | 480 | 11000 | 3500 | 92000 |
| 3639 | KENGERI TANK | TANK | KARNATAKA | 24 | 30 | 2.8 | 6.8 | 6.5 | 7.6 | 314 | 1822 | 3.2 | 13.0 | 0.65 | 6.81 | 4600 | 94000 | 35000 | 920000 |
| 3640 | UTTARAHALLI DORAIKERE | TANK | KARNATAKA | 25 | 35 | 2.5 | 5.8 | 6.7 | 9.0 | 165 | 681 | 5.0 | 59.0 | 0.50 | 5.78 | 2300 | 940000 | 35000 | 5400000 |
| 3641 | DHOREKERE TANK | TANK | KARNATAKA | 24 | 35 | 0.5 | 7.5 | 6.5 | 8.1 | 402 | 990 | 4.0 | 83.0 | 0.19 | 6.00 | 940 | 460000 | 9200 | 3500000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|-----------------------------|--------------------|------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|------|------------|------|------------------------------|-------|------------------------------|--------|-----------------------------|---------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3642 | JIGANI TNAK | TANK | KARNATAKA | 25 | 27 | 3.6 | 8.5 | 6.3 | 8.2 | 393 | 1378 | 3.0 | 18.0 | 1.00 | 5.90 | 460 | 170000 | 5400 | 1600000 |
| 3643 | BEENNIGANAHALLI TANK | TANK | KARNATAKA | 24 | 27 | 0.8 | 8.3 | 6.6 | 8.2 | 302 | 865 | 3.0 | 16.0 | 1.00 | 2.50 | 1200 | 46000 | 9200 | 540000 |
| 3648 | MYDALA TANK | TANK | KARNATAKA | 25 | 32 | 3.2 | 7.6 | 6.6 | 8.0 | 133 | 415 | 2.0 | 12.0 | 0.29 | 4.00 | 460 | 11000 | 5400 | 92000 |
| 3650 | MELEKOTE TANK | TANK | KARNATAKA | 20 | 32 | 1.0 | 6.0 | 6.5 | 7.9 | 519 | 1443 | 4.0 | 12.0 | 0.49 | 9.00 | 460 | 940000 | 5400 | 5400000 |
| 3651 | BHEEMSANDRA TANK | TANK | KARNATAKA | 19 | 32 | 1.0 | 6.4 | 6.8 | 7.9 | 926 | 1719 | 6.1 | 19.0 | 1.00 | 20.50 | 460 | 70000 | 3500 | 350000 |
| 3653 | DODDAKERE TANK | TANK | KARNATAKA | 24 | 31 | 4.5 | 7.6 | 6.2 | 8.2 | 136 | 556 | 2.0 | 8.0 | 0.32 | 4.40 | 63 | 15000 | 540 | 160000 |
| 3656 | NALLIKATTE KERE TANK | TANK | KARNATAKA | 27 | 27 | 4.6 | 4.6 | 7.7 | 7.7 | 510 | 510 | 3.0 | 3.0 | 0.20 | 0.20 | 680 | 680 | 3900 | 3900 |
| 3657 | KANCHANAHALLI KOPPALU KERE | TANK | KARNATAKA | 24 | 28 | 3.6 | 5.2 | 8.0 | 8.2 | 1410 | 3260 | 4.0 | 8.0 | 0.70 | 1.30 | 680 | 930 | 4300 | 7900 |
| 3659 | MAKANA KERE | TANK | KARNATAKA | 24 | 28 | 2.8 | 5.1 | 7.3 | 7.8 | 580 | 1190 | 3.6 | 6.0 | 0.13 | 0.68 | 920 | 3400 | 7000 | 17000 |
| 3660 | HUNASINA KERE TANK | TANK | KARNATAKA | 24 | 28 | 4.9 | 6.5 | 7.5 | 7.9 | 430 | 530 | 1.8 | 3.0 | 0.14 | 0.20 | 340 | 780 | 2400 | 4900 |
| 3661 | KOKKANAGHATTADODDAKERE TANK | TANK | KARNATAKA | 24 | 28 | 4.7 | 6.8 | 7.7 | 8.5 | 470 | 1470 | 3.0 | 5.0 | 0.32 | 1.40 | 320 | 780 | 2400 | 4000 |
| 3662 | KOUSHIKA KERE | TANK | KARNATAKA | 23 | 28 | 5.3 | 6.9 | 7.7 | 8.0 | 390 | 450 | 2.0 | 2.4 | 0.13 | 0.26 | 170 | 260 | 1100 | 2200 |
| 3663 | JOLADAKATTE TANK | TANK | KARNATAKA | 23 | 27 | 4.8 | 6.8 | 7.7 | 8.1 | 450 | 620 | 2.0 | 3.0 | 0.14 | 0.30 | 270 | 470 | 2200 | 3500 |
| 3664 | BASAVANAHALLIKERE TANK | TANK | KARNATAKA | 24 | 28 | 4.5 | 6.9 | 7.7 | 8.0 | 390 | 480 | 2.2 | 3.0 | 0.20 | 0.25 | 320 | 680 | 2200 | 4000 |
| 3665 | LINGAPPANAKATTE TANK | TANK | KARNATAKA | 23 | 28 | 5.1 | 6.3 | 7.8 | 8.1 | 450 | 640 | 2.2 | 3.0 | 0.17 | 0.30 | 320 | 780 | 1600 | 4000 |
| 3666 | GANIGARAHOSAHALLIKERE TANK | TANK | KARNATAKA | 24 | 28 | 4.9 | 7.4 | 7.8 | 8.1 | 410 | 480 | 2.0 | 3.0 | 0.10 | 0.20 | 140 | 390 | 920 | 2800 |
| 3667 | SATHENAHALLIDODDAKERE TANK | TANK | KARNATAKA | 24 | 28 | 4.8 | 6.2 | 7.8 | 8.1 | 500 | 1100 | 2.0 | 3.8 | 0.20 | 1.10 | 260 | 700 | 1700 | 5400 |
| 3668 | SOUDRALLI KERE | TANK | KARNATAKA | 23 | 28 | 5.0 | 6.4 | 7.5 | 8.0 | 440 | 760 | 2.0 | 3.0 | 0.10 | 0.29 | 210 | 490 | 1700 | 3500 |
| 3669 | PEREMINAHALLI KERE | TANK | KARNATAKA | 24 | 27 | 4.9 | 6.2 | 7.6 | 7.9 | 400 | 560 | 2.0 | 3.0 | 0.10 | 0.20 | 170 | 490 | 2100 | 3500 |
| 3670 | INORKATTE KERE | TANK | KARNATAKA | 24 | 27 | 4.2 | 7.0 | 7.5 | 7.8 | 340 | 460 | 1.8 | 3.0 | 0.13 | 0.25 | 320 | 490 | 1700 | 2800 |
| 3671 | HANUMANTHAPURAKATTE TANK | TANK | KARNATAKA | 24 | 28 | 5.2 | 7.1 | 7.5 | 7.7 | 380 | 460 | 2.0 | 3.0 | 0.17 | 0.24 | 210 | 400 | 1300 | 2800 |
| 3672 | SANKALAPURAKERE TANK | TANK | KARNATAKA | 25 | 28 | 4.8 | 5.8 | 7.5 | 7.9 | 410 | 470 | 2.0 | 3.0 | 0.18 | 0.23 | 170 | 260 | 1100 | 1400 |
| 3673 | AVALI KERE | TANK | KARNATAKA | 24 | 28 | 3.0 | 4.6 | 7.6 | 8.1 | 1280 | 1820 | 4.0 | 6.0 | 0.80 | 1.60 | 610 | 940 | 4600 | 5400 |
| 3674 | SATHYAMANGALA KERE | TANK | KARNATAKA | 24 | 28 | 5.2 | 6.6 | 7.6 | 8.0 | 340 | 400 | 2.0 | 2.6 | 0.10 | 0.20 | 120 | 400 | 1100 | 2200 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|------|------------|-------|------------------------------|-------|------------------------------|---------|-----------------------------|----------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3675 | B KATHALLI KERE | TANK | KARNATAKA | 24 | 28 | 5.1 | 7.2 | 7.5 | 8.0 | 280 | 420 | 2.0 | 2.8 | 0.16 | 0.26 | 140 | 220 | 920 | 1700 |
| 3676 | GAVENAHALLIKERE | TANK | KARNATAKA | 23 | 27 | 4.9 | 6.6 | 7.6 | 8.2 | 280 | 360 | 2.0 | 2.6 | 0.10 | 0.18 | 110 | 270 | 940 | 1700 |
| 3677 | SHARANABAWESHWARA KERE TANK | TANK | KARNATAKA | 26 | 31 | 6.8 | 7.4 | 7.5 | 8.9 | 938 | 2296 | 4.5 | 16.0 | 0.10 | 0.86 | 700 | 2200 | 2800 | 9200 |
| 3681 | ANGOL MI TANK | TANK | KARNATAKA | 21 | 30 | 0.3 | 6.7 | 6.8 | 8.0 | 394 | 658 | 3.4 | 17.1 | 0.72 | 4.15 | 900 | 1800 | 1600 | 3200 |
| 3682 | KAKATI POND | TANK | KARNATAKA | 21 | 28 | 4.9 | 8.7 | 8.4 | 9.4 | 760 | 4300 | 1.5 | 5.2 | 0.81 | 4.96 | 900 | 920 | 1600 | 1600 |
| 3683 | HEREKERE TANK | TANK | KARNATAKA | 23 | 26 | 5.2 | 5.7 | 6.9 | 7.5 | 806 | 1597 | 4.5 | 8.4 | 1.17 | 1.70 | 70 | 187 | 278 | 698 |
| 3684 | KELEGERE TANK | TANK | KARNATAKA | 23 | 25 | 7.1 | 7.9 | 7.4 | 8.3 | 358 | 452 | 3.1 | 3.9 | 0.44 | 0.63 | 8 | 177 | 94 | 849 |
| 3686 | NIRASAGARAKERE TANK | TANK | KARNATAKA | 24 | 26 | 7.2 | 7.8 | 7.6 | 8.3 | 301 | 903 | 2.1 | 3.7 | 0.27 | 0.82 | 2 | 39 | 11 | 175 |
| 3687 | NUGGIKERE TANK | TANK | KARNATAKA | 24 | 26 | 6.8 | 7.2 | 7.3 | 8.2 | 554 | 869 | 3.2 | 4.2 | 0.42 | 0.72 | 5 | 96 | 39 | 302 |
| 3688 | SUDANAKERE TANK | TANK | KARNATAKA | 23 | 25 | 6.8 | 7.4 | 7.2 | 8.3 | 650 | 1070 | 3.2 | 3.7 | 0.47 | 0.75 | 5 | 48 | 109 | 1161 |
| 3689 | SOMESHWARAKERE TANK | TANK | KARNATAKA | 23 | 25 | 6.6 | 6.9 | 7.2 | 8.2 | 693 | 1169 | 3.4 | 4.2 | 0.13 | 1.29 | 2 | 58 | 27 | 154 |
| 3690 | UNAKALKERE TANK | TANK | KARNATAKA | 24 | 26 | 7.1 | 7.3 | 7.4 | 8.3 | 809 | 975 | 3.5 | 4.3 | 0.75 | 1.08 | 13 | 253 | 130 | 1005 |
| 3691 | VIMANABHUTHIKERE TANK | TANK | KARNATAKA | 26 | 29 | 6.7 | 7.6 | 7.0 | 8.2 | 110 | 270 | 1.8 | 2.5 | 0.30 | 1.00 | 240 | 500 | 800 | 900 |
| 3692 | KUNDUVADAKERE TANK | TANK | KARNATAKA | 25 | 29 | 4.0 | 7.3 | 7.2 | 8.2 | 120 | 298 | 2.0 | 5.0 | 0.30 | 5.90 | 600 | 15000 | 900 | 160000 |
| 3693 | BHATHIKERE TANK | TANK | KARNATAKA | 27 | 29 | 5.2 | 7.0 | 6.9 | 8.3 | 320 | 1070 | 3.4 | 16.0 | 0.30 | 23.20 | 5000 | 11000 | 7000 | 22000 |
| 3694 | SHANTHISAGARKERE TANK | TANK | KARNATAKA | 26 | 33 | 6.8 | 7.8 | 7.1 | 8.2 | 152 | 290 | 2.4 | 3.0 | 0.30 | 0.90 | 500 | 900 | 1400 | 2200 |
| 3695 | KONDAGGIKERE TANK | TANK | KARNATAKA | 27 | 30 | 4.1 | 7.9 | 7.0 | 8.3 | 182 | 676 | 2.8 | 4.0 | 0.30 | 0.70 | 900 | 1400 | 2200 | 2800 |
| 3696 | AIANAKERE TANK | TANK | KARNATAKA | 25 | 29 | 2.2 | 6.9 | 8.2 | 8.5 | 1020 | 1390 | 4.6 | 102.0 | 0.30 | 4.30 | 50000 | 140000 | 110000 | 220000 |
| 3697 | MATTADAKERE TANK | TANK | KARNATAKA | 25 | 31 | 3.9 | 7.1 | 7.1 | 8.3 | 530 | 1080 | 4.8 | 32.0 | 0.30 | 35.00 | 5000 | 40000 | 8000 | 60000 |
| 4092 | MANCHALAPUR TANK, MANCHALAPUR, RAICHUR TQ & DIST | TANK | KARNATAKA | 25 | 31 | 6.5 | 7.4 | 7.5 | 9.2 | 978 | 2553 | 9.0 | 16.0 | 0.10 | 0.32 | 2400 | 11000 | 9200 | 43000 |
| 4498 | SANAVALLI DAM, MUNGOD | TANK | KARNATAKA | 24 | 26 | 7.1 | 7.7 | 6.7 | 7.6 | 128 | 217 | 2.3 | 2.6 | 0.21 | 0.72 | 4 | 26 | 14 | 94 |
| 4501 | MANCHANABALE DAM | TANK | KARNATAKA | 25 | 26 | 3.2 | 7.2 | 7.0 | 8.5 | 842 | 1306 | 4.0 | 9.0 | 0.29 | 18.40 | 400 | 17000 | 2400 | 92000 |
| 4502 | RAMAMMANA KERE | TANK | KARNATAKA | 25 | 26 | 0.9 | 6.0 | 7.1 | 8.6 | 898 | 1325 | 6.0 | 16.0 | 0.62 | 18.60 | 630 | 15000 | 5400 | 160000 |
| 4503 | MADHURE TANK | TANK | KARNATAKA | 24 | 26 | 0.1 | 7.2 | 6.4 | 8.5 | 187 | 1178 | 2.3 | 78.0 | 0.50 | 6.62 | 4300 | 7000000 | 35000 | 54000000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|-------|------------|-------|------------------------------|-------|------------------------------|---------|-----------------------------|---------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4512 | MANCHANABALE DAM | TANK | KARNATAKA | 25 | 37 | 0.3 | 6.1 | 6.5 | 7.4 | 161 | 1648 | 4.0 | 114.0 | 0.76 | 12.00 | 790 | 1200000 | 9200 | 9200000 |
| 4513 | RAMAMMANA KERE | TANK | KARNATAKA | 24 | 34 | 0.6 | 7.0 | 6.3 | 7.6 | 301 | 2297 | 3.0 | 13.0 | 0.66 | 11.00 | 460 | 13000 | 5400 | 160000 |
| 4526 | DYAVASANDRA TANK | TANK | KARNATAKA | 25 | 29 | 2.9 | 6.1 | 6.5 | 7.1 | 414 | 685 | 3.5 | 11.0 | 0.90 | 3.60 | 630 | 17000 | 5400 | 92000 |
| 4530 | KAMMASANDRA TANK | TANK | KARNATAKA | 20 | 25 | 0.3 | 5.5 | 6.8 | 7.8 | 637 | 2414 | 8.0 | 45.0 | 2.72 | 4.74 | 840 | 170000 | 5400 | 1600000 |
| 4531 | RAYASANDRA LAKE | TANK | KARNATAKA | 20 | 25 | 4.1 | 7.0 | 6.7 | 8.6 | 757 | 1775 | 4.0 | 19.0 | 0.34 | 10.47 | 1500 | 110000 | 16000 | 920000 |
| 4532 | CHANDAPURA LAKE | TANK | KARNATAKA | 21 | 25 | 0.5 | 6.5 | 6.8 | 7.9 | 749 | 2775 | 7.0 | 39.0 | 2.16 | 13.10 | 940 | 110000 | 5400 | 1600000 |
| 4541 | ALUR KERE | TANK | KARNATAKA | 25 | 25 | 0.5 | 6.3 | 6.1 | 7.6 | 76 | 2307 | 4.0 | 12.0 | 1.00 | 4.00 | 1200 | 6300 | 9200 | 54000 |
| 1383 | ORUVATHILKOTTA LAKE, KERALA | LAKE | KERALA | 26 | 29 | 0.9 | 2.6 | 6.2 | 7.8 | 241 | 475 | 2.3 | 10.2 | 0.01 | 0.11 | 200 | 1000 | 1300 | 2400 |
| 1385 | SASTHAMCOTTA LAKE, KERALA | LAKE | KERALA | 20 | 25 | 6.8 | 7.5 | 6.8 | 7.9 | 140 | 174 | 1.2 | 2.7 | 0.67 | 0.73 | 40 | 100 | 180 | 380 |
| 1441 | ASHTHAMUDI LAKE AT QUILON, KERALA | LAKE | KERALA | 20 | 23 | 3.6 | 5.6 | 6.6 | 8.1 | 18200 | 19220 | 2.9 | 4.5 | 2.20 | 2.60 | 100 | 220 | 310 | 540 |
| 1574 | PARAVUR, KERALA | LAKE | KERALA | 19 | 24 | 6.1 | 6.8 | 6.9 | 7.9 | 13120 | 14910 | 1.7 | 2.0 | 1.10 | 1.70 | 80 | 200 | 310 | 540 |
| 1575 | VEMBANAD LAKE,KOCHI (OIL TANKER JETTY), KERALA | LAKE | KERALA | 27 | 30 | 2.3 | 6.7 | 6.6 | 7.7 | 320 | 46270 | 0.1 | 3.4 | 0.07 | 1.39 | 480 | 24000 | 1100 | 46000 |
| 1576 | PERIYAR LAKE AT THEKKADY, KERALA | LAKE | KERALA | 21 | 30 | 6.7 | 8.4 | 6.5 | 8.0 | 33 | 52 | 0.1 | 0.9 | 0.01 | 0.05 | 2 | 400 | 2 | 600 |
| 1577 | KODUNGALLOOR, KERALA | LAKE | KERALA | 26 | 31 | 6.0 | 8.2 | 6.7 | 7.9 | 300 | 36100 | 0.9 | 2.7 | 0.04 | 0.50 | 17 | 1700 | 49 | 4300 |
| 1578 | KAYAMKULAM, KERALA | LAKE | KERALA | 25 | 31 | 2.6 | 5.7 | 6.8 | 8.0 | 2348 | 7690 | 2.7 | 5.4 | 0.01 | 0.32 | 2 | 1200 | 2 | 2500 |
| 1579 | ALAPPUZHA, KERALA | LAKE | KERALA | 25 | 31 | 3.9 | 7.9 | 6.9 | 7.9 | 171 | 1172 | 1.1 | 4.8 | 0.01 | 0.77 | 100 | 1400 | 400 | 2400 |
| 1580 | POOKOTE, KERALA | LAKE | KERALA | 24 | 30 | 6.8 | 8.5 | 6.9 | 7.5 | 24 | 32 | 0.1 | 1.6 | 0.01 | 0.10 | 4 | 120 | 14 | 150 |
| 2312 | LAKE VEMBANAD AT PATHIRAMANAL (ALAPPUZHA) | LAKE | KERALA | 25 | 31 | 4.9 | 7.8 | 6.8 | 7.4 | 180 | 1351 | 1.8 | 3.1 | 0.01 | 0.24 | 2 | 400 | 2 | 700 |
| 2318 | PAZHASSI RESERVOIR (KANNUR) | LAKE | KERALA | 24 | 30 | 6.6 | 8.0 | 6.7 | 7.5 | 38 | 74 | 0.1 | 1.4 | 0.01 | 0.06 | 40 | 140 | 120 | 540 |
| 2328 | RSVR AT MALAMPUZHA | LAKE | KERALA | 23 | 28 | 6.8 | 7.9 | 6.7 | 7.8 | 91 | 128 | 0.1 | 1.2 | 0.01 | 1.47 | 2 | 600 | 2 | 920 |
| 2329 | RSVR AT BHOOOTHATHANKETU | LAKE | KERALA | 24 | 29 | 7.6 | 8.3 | 6.3 | 7.4 | 20 | 51 | 0.1 | 2.1 | 0.05 | 0.95 | 40 | 2200 | 58 | 7000 |
| 2330 | RSVR AT EDAMALAYAR | LAKE | KERALA | 25 | 29 | 7.4 | 8.2 | 6.7 | 7.4 | 16 | 30 | 0.1 | 1.8 | 0.01 | 0.12 | 10 | 140 | 17 | 330 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|----------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|------|------------------------------|-------|------------------------------|-------|-----------------------------|---------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3470 | VELLAYANI LAKE AT VANDITHADOM, THIRUVANANTHAPURAM | LAKE | KERALA | 26 | 29 | 1.8 | 6.9 | 6.0 | 7.2 | 102 | 212 | 1.4 | 13.2 | 0.01 | 0.01 | 100 | 400 | 400 | 1400 |
| 2325 | POND AT (PADMANABHA) SREE PADMANABHA SWAMY TEMPLE (TVPM) | POND | KERALA | 26 | 29 | 0.9 | 4.7 | 6.8 | 8.2 | 265 | 362 | 6.6 | 23.4 | 0.01 | 0.01 | 400 | 1000 | 1700 | 2800 |
| 3462 | MANANCHIRA POND AT KOZHEKODE | POND | KERALA | 23 | 29 | 5.7 | 8.0 | 6.5 | 8.1 | 51 | 73 | 0.1 | 1.0 | 0.01 | 0.38 | 31 | 920 | 54 | 1200 |
| 1401 | POND NEAR JUMA MASJID | POND | LAKSHADWEEP | 31 | 32 | - | - | 8.7 | 8.7 | 471 | 586 | - | - | - | - | - | - | - | - |
| 4557 | POND C/O MOHIDHEEN PALLI | POND | LAKSHADWEEP | 27 | 29 | - | - | 7.2 | 9.5 | 490 | 1648 | - | - | - | - | - | - | - | - |
| 4568 | POND NEAR KULAPPINAKKAL | POND | LAKSHADWEEP | 27 | 29 | - | - | 6.8 | 7.7 | 646 | 1663 | - | - | - | - | - | - | - | - |
| 1373 | UPPER LAKE AT BHOPAL (INTAKE POINT), M.P. | LAKE | MADHYA PRADESH | 19 | 31 | 6.0 | 10.7 | 7.2 | 8.9 | 162 | 914 | 0.9 | 2.5 | 1.02 | 3.71 | 2 | 360 | 40 | 22000 |
| 1374 | LOWER LAKE AT BHOPAL OUTLET M.P. | LAKE | MADHYA PRADESH | 19 | 31 | 4.9 | 8.7 | 6.9 | 8.6 | 347 | 901 | 2.9 | 19.0 | 0.32 | 7.44 | 39 | 22000 | 920 | 1600000 |
| 1466 | MULTAI TANK LAKE AT VILLA. KHARI ON BETUL-AMRAVATI ROAD M.P.(.TAPTI NEAR AMARAWATI, ROAD BRIDGE AT VILLAGE KHEDA) | LAKE | MADHYA PRADESH | 21 | 38 | 7.1 | 7.2 | 7.4 | 8.2 | 618 | 813 | 1.2 | 11.8 | 2.20 | 2.60 | 3 | 7 | 14 | 75 |
| 2128 | KHANDARI RESERVOIR WATER OFF TAKE POINT | LAKE | MADHYA PRADESH | 16 | 25 | 7.0 | 8.4 | 7.1 | 8.3 | 160 | 482 | 0.8 | 1.8 | 0.21 | 1.34 | 2 | 2 | 10 | 47 |
| 2130 | MADHAV LAKE, SHIVPURI | LAKE | MADHYA PRADESH | 20 | 26 | 5.9 | 7.6 | 7.5 | 8.3 | 318 | 730 | 1.8 | 2.9 | 0.32 | 1.20 | 1 | 8 | 32 | 110 |
| 2131 | YASHWANT SAGAR AT INDORE | LAKE | MADHYA PRADESH | 20 | 25 | 6.6 | 8.2 | 7.3 | 8.2 | 314 | 795 | 0.8 | 1.7 | 0.82 | 1.39 | 1 | 1 | 41 | 110 |
| 2132 | BILAWALI TALAB AT INDORE | LAKE | MADHYA PRADESH | 16 | 28 | 6.1 | 8.0 | 7.7 | 8.5 | 373 | 1080 | 0.9 | 1.6 | 0.64 | 1.74 | 1 | 1 | 41 | 158 |
| 2133 | SIRPUR TALAB AT INDORE | LAKE | MADHYA PRADESH | 16 | 25 | 6.6 | 8.6 | 7.6 | 8.1 | 280 | 642 | 1.0 | 1.4 | 0.01 | 1.68 | 1 | 1 | 43 | 110 |
| 2134 | NAGCHUN TALAB AT KHANDWA | LAKE | MADHYA PRADESH | 19 | 24 | 6.0 | 7.8 | 7.2 | 8.3 | 265 | 492 | 0.9 | 1.3 | 0.62 | 1.37 | 1 | 2 | 39 | 63 |
| 2135 | GOVINDGARH LAKE | LAKE | MADHYA PRADESH | 19 | 31 | 6.6 | 8.3 | 7.1 | 8.1 | 209 | 382 | 0.7 | 2.0 | 0.18 | 0.67 | 2 | 18 | 32 | 49 |
| 2136 | SHAHPURA LAKE AT WEIR NEAR AYUSHMAN HOSPITAL, BHOPAL | LAKE | MADHYA PRADESH | 19 | 31 | 5.9 | 10.3 | 7.2 | 8.4 | 512 | 667 | 1.2 | 20.0 | 1.02 | 15.94 | 10 | 35000 | 540 | 1600000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|----------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|-----|------------|-----|------------------------------|------|------------------------------|-------|-----------------------------|-------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2137 | UPPER LAKE AT YATCH CLUB | LAKE | MADHYA PRADESH | 20 | 31 | 8.0 | 10.3 | 7.5 | 8.8 | 93 | 902 | 0.1 | 2.0 | 1.02 | 3.95 | 2 | 1600 | 34 | 28000 |
| 2138 | UPPER LAKE AT KARBALA CLUB | LAKE | MADHYA PRADESH | 20 | 31 | 8.3 | 10.9 | 7.7 | 8.2 | 160 | 905 | 1.2 | 3.9 | 1.29 | 3.48 | 2 | 2400 | 47 | 43000 |
| 2139 | UPPER LAKE AT BAIRAGARH CLUB | LAKE | MADHYA PRADESH | 19 | 31 | 7.9 | 10.2 | 7.7 | 8.4 | 180 | 922 | 1.4 | 3.4 | 1.32 | 7.44 | 2 | 17000 | 46 | 92000 |
| 2140 | KERWA DAM NEAR REST HOUSE, BPL | LAKE | MADHYA PRADESH | 20 | 32 | 3.4 | 9.7 | 7.4 | 8.0 | 212 | 857 | 0.1 | 2.7 | 1.02 | 3.50 | 2 | 84 | 21 | 17000 |
| 2141 | JANUNIA TALAB NEAR W/S | LAKE | MADHYA PRADESH | 28 | 30 | 8.6 | 9.0 | 7.8 | 8.2 | 273 | 476 | 1.6 | 2.3 | 0.65 | 0.82 | 2 | 2 | 21 | 70 |
| 2142 | KALISINDH RESERVOIR AT SARANGPUR, RAJGARH | LAKE | MADHYA PRADESH | 12 | 26 | 6.8 | 8.0 | 7.2 | 7.9 | 210 | 666 | 1.2 | 1.8 | 0.10 | 2.00 | 2 | 3 | 24 | 52 |
| 3296 | CHORAL DAM NEAR INDORE | LAKE | MADHYA PRADESH | 20 | 25 | 6.8 | 7.8 | 7.3 | 8.2 | 264 | 665 | 0.6 | 2.1 | 0.71 | 1.84 | 1 | 1 | 32 | 63 |
| 4614 | SUPTAL JABALPUR | LAKE | MADHYA PRADESH | 16 | 24 | 6.4 | 7.6 | 7.3 | 8.1 | 220 | 802 | 1.8 | 4.8 | 0.25 | 2.10 | 2 | 70 | 17 | 1600 |
| 4615 | GANGA SAGAR JABALPUR | LAKE | MADHYA PRADESH | 16 | 24 | 5.5 | 7.8 | 6.3 | 8.4 | 180 | 911 | 2.5 | 7.8 | 0.12 | 1.60 | 2 | 170 | 11 | 1600 |
| 4622 | KOPTAL LAKE AT WATER SUPPLY INTAKE POINT CHHATARPUR | LAKE | MADHYA PRADESH | 19 | 31 | 6.8 | 7.5 | 7.1 | 7.8 | 168 | 294 | 0.8 | 1.8 | 0.01 | 0.17 | 2 | 2 | 2 | 27 |
| 3297 | MITHA TALAB, DEWAS | POND | MADHYA PRADESH | 22 | 24 | 6.6 | 7.6 | 7.3 | 7.9 | 350 | 493 | 1.8 | 3.4 | 0.75 | 1.25 | 2 | 36 | 29 | 150 |
| 3298 | POND WATER AT LAKODA | POND | MADHYA PRADESH | 24 | 26 | 7.2 | 7.6 | 7.6 | 7.8 | 264 | 768 | 1.6 | 2.0 | 0.48 | 0.82 | 2 | 2 | 40 | 49 |
| 3299 | HANUMANTAL JABALPUR | POND | MADHYA PRADESH | 16 | 24 | 6.0 | 7.8 | 7.4 | 7.8 | 226 | 641 | 0.8 | 4.8 | 0.12 | 2.00 | 1 | 120 | 17 | 540 |
| 3300 | RANITAL TALAB, JABALPUR | POND | MADHYA PRADESH | 16 | 26 | 5.0 | 7.6 | 7.1 | 7.9 | 310 | 857 | 1.9 | 4.2 | 0.12 | 3.20 | 2 | 220 | 20 | 1600 |
| 3301 | MOTI TALAB AT BALAGHAT | POND | MADHYA PRADESH | 16 | 29 | 6.1 | 7.6 | 7.1 | 8.2 | 234 | 513 | 0.9 | 4.2 | 0.01 | 1.60 | 2 | 27 | 7 | 540 |
| 3302 | PIPLIYA PALA TALAB, INDORE | POND | MADHYA PRADESH | 16 | 25 | 6.8 | 8.5 | 7.6 | 8.4 | 382 | 618 | 1.1 | 1.6 | 0.83 | 2.02 | 1 | 1 | 48 | 140 |
| 3303 | RANI TALAB, REWA | POND | MADHYA PRADESH | 19 | 32 | 6.3 | 7.8 | 7.2 | 8.1 | 270 | 544 | 0.7 | 1.9 | 0.19 | 0.80 | 2 | 18 | 27 | 48 |
| 3304 | RIHAND RESRVOIR, SINGRAULI | POND | MADHYA PRADESH | 18 | 38 | 6.7 | 7.1 | 7.5 | 7.5 | 150 | 520 | 0.1 | 1.8 | 0.40 | 2.30 | - | - | - | - |
| 3830 | GOKALPUR TALAB, DIST JABALPUR | POND | MADHYA PRADESH | 17 | 24 | 5.4 | 7.8 | 7.3 | 8.6 | 45 | 964 | 0.9 | 4.2 | 0.12 | 1.10 | 2 | 280 | 25 | 1600 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|----------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|------|------------|-----|------------------------------|------|------------------------------|-----|-----------------------------|-----|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3831 | DAL SAGAR TALAB, DIST SEONI | POND | MADHYA PRADESH | 17 | 26 | 6.0 | 8.2 | 6.7 | 8.6 | 290 | 5640 | 0.9 | 4.0 | 0.18 | 1.60 | 2 | 11 | 7 | 920 |
| 3849 | SITAPAT TALAB DHAR | POND | MADHYA PRADESH | 19 | 26 | 6.2 | 7.6 | 7.6 | 8.8 | 302 | 525 | 0.8 | 1.4 | 0.09 | 2.68 | 1 | 1 | 31 | 63 |
| 3850 | BAGDOON TALAB PITHAMPUR SANJAY JALASHAY PITHAMPUR | POND | MADHYA PRADESH | 19 | 24 | 6.9 | 7.9 | 7.1 | 8.1 | 220 | 496 | 0.8 | 1.3 | 0.62 | 1.37 | 1 | 1 | 16 | 63 |
| 2129 | PERIAT TANK NEAR WSS INTAKE POINT JABALPUR | TANK | MADHYA PRADESH | 17 | 25 | 7.0 | 8.2 | 7.0 | 8.2 | 162 | 391 | 0.8 | 1.9 | 0.21 | 1.10 | 2 | 2 | 11 | 48 |
| 1425 | LOKTAK LAKE AT THANA | LAKE | MANIPUR | 20 | 28 | 6.9 | 7.3 | 6.9 | 7.6 | 130 | 224 | 3.0 | 3.5 | - | - | 5 | 30 | 35 | 110 |
| 1426 | LOKTAK LAKE AT BISHNUPUR | LAKE | MANIPUR | 20 | 29 | 6.6 | 7.8 | 6.7 | 7.5 | 150 | 220 | 2.9 | 3.4 | - | - | 5 | 35 | 35 | 90 |
| 1629 | LOKTAK LAKE AT SENDRA | LAKE | MANIPUR | 20 | 28 | 6.3 | 7.5 | 7.1 | 7.5 | 120 | 240 | 2.8 | 3.7 | - | - | 10 | 25 | 45 | 80 |
| 1630 | LOKTAK LAKE AT KARANG ISLAND | LAKE | MANIPUR | 20 | 28 | 6.7 | 7.5 | 7.1 | 7.6 | 125 | 380 | 3.0 | 3.8 | - | - | 2 | 10 | 15 | 55 |
| 2837 | PUMLEN LAKE AT TOKPACHING | LAKE | MANIPUR | 18 | 28 | 6.7 | 7.7 | 7.2 | 7.6 | 140 | 380 | 3.2 | 3.8 | - | - | 10 | 35 | 15 | 60 |
| 2839 | PUKHRI AT LANGMEIDONG | POND | MANIPUR | 18 | 28 | 6.7 | 7.8 | 7.3 | 7.6 | 210 | 370 | 3.3 | 3.8 | - | - | 10 | 10 | 30 | 90 |
| 2840 | LAMJAO PUKHURI AT ACHOUBA | POND | MANIPUR | 18 | 29 | 6.6 | 7.4 | 7.4 | 7.6 | 180 | 360 | 3.1 | 3.4 | - | - | 2 | 2 | 10 | 95 |
| 2841 | HIRANMEI PUKHURI AT THOUBAL | POND | MANIPUR | 17 | 28 | 5.6 | 7.3 | 6.7 | 7.6 | 70 | 510 | 3.0 | 4.2 | - | - | 20 | 60 | 75 | 195 |
| 2842 | LANGMEIDONG PUKHURI AT THOUBAL | POND | MANIPUR | 18 | 29 | 6.4 | 7.6 | 7.2 | 7.5 | 205 | 330 | 3.0 | 3.8 | - | - | 5 | 25 | 35 | 105 |
| 2843 | POND AT LALAMBUNG | POND | MANIPUR | 18 | 28 | 5.9 | 7.1 | 7.0 | 7.5 | 80 | 380 | 3.0 | 3.9 | - | - | 5 | 20 | 40 | 70 |
| 2844 | LILONG PUKHURI | POND | MANIPUR | 16 | 28 | 6.3 | 7.5 | 7.2 | 8.1 | 70 | 310 | 3.0 | 4.2 | - | - | 5 | 10 | 25 | 65 |
| 2845 | POND AT NGAIRANGBAM | POND | MANIPUR | 3 | 28 | 6.1 | 7.2 | 6.4 | 8.1 | 125 | 240 | 3.2 | 3.8 | - | - | - | - | 5 | 75 |
| 2846 | POND AT MOIDANGPOK | POND | MANIPUR | 19 | 28 | 6.3 | 7.3 | 6.3 | 7.7 | 50 | 215 | 3.0 | 3.6 | - | - | 9 | 9 | 15 | 45 |
| 2847 | POND AT MAIBAM LOKPACHING | POND | MANIPUR | 20 | 29 | 5.7 | 7.9 | 6.8 | 7.5 | 140 | 264 | 2.8 | 4.1 | - | - | 10 | 35 | 35 | 93 |
| 2848 | POND AT KAKWA BAZAR | POND | MANIPUR | 18 | 28 | 5.3 | 6.7 | 7.2 | 8.1 | 150 | 670 | 3.3 | 4.3 | - | - | 25 | 45 | 85 | 165 |
| 2849 | CHANAM PUKHURI | POND | MANIPUR | 18 | 29 | 5.6 | 6.7 | 7.1 | 8.7 | 150 | 600 | 3.3 | 4.2 | - | - | 20 | 40 | 65 | 155 |
| 2850 | NINGTHEM PUKHURI | POND | MANIPUR | 17 | 28 | 5.1 | 8.1 | 7.1 | 7.8 | 90 | 370 | 3.0 | 4.5 | - | - | 15 | 45 | 15 | 145 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|------------|----------------|-----|-------------------------|------|-----|------|-------------------------|-------|------------|-----|------------------------------|------|------------------------------|-------|-----------------------------|--------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2851 | POND AT KONGBA BAZAR | POND | MANIPUR | 17 | 29 | 5.1 | 6.5 | 7.1 | 8.4 | 530 | 680 | 3.5 | 4.8 | - | - | 35 | 80 | 170 | 440 |
| 1347 | UMIAM LAKE AT BARAPANI | LAKE | MEGHALAYA | 15 | 25 | 5.6 | 6.9 | 7.1 | 8.0 | 67 | 110 | 4.8 | 6.0 | 0.50 | 2.73 | 340 | 790 | 420 | 2100 |
| 1348 | WARD'S LAKE AT SHILLONG | LAKE | MEGHALAYA | 15 | 26 | 7.0 | 8.0 | 7.1 | 7.9 | 120 | 155 | 3.1 | 4.2 | 0.30 | 0.98 | 84 | 170 | 390 | 790 |
| 1459 | THADLASKEIN LAKE, JOWAI | LAKE | MEGHALAYA | 6 | 21 | 6.0 | 7.8 | 6.7 | 7.3 | 35 | 390 | 1.4 | 5.8 | 0.39 | 0.78 | 9 | 420 | 94 | 1200 |
| 3346 | UMIAM LAKE AT OUTFALL OF UMIAM INTO LAKE | LAKE | MEGHALAYA | 14 | 29 | 4.8 | 6.0 | 6.9 | 8.3 | 70 | 118 | 5.5 | 7.3 | 0.52 | 2.72 | 330 | 790 | 790 | 1700 |
| 3347 | UMIAM LAKE AT MIDDLE POINT | LAKE | MEGHALAYA | 16 | 28 | 5.9 | 6.8 | 7.2 | 8.1 | 65 | 112 | 4.8 | 6.7 | 0.02 | 2.91 | 310 | 430 | 580 | 1300 |
| 3348 | UMIAM LAKE AT NEAR UNITED CHRISTIAN COLLEGE | LAKE | MEGHALAYA | 12 | 28 | 5.6 | 6.8 | 6.9 | 7.7 | 65 | 109 | 4.9 | 6.2 | 0.30 | 3.21 | 310 | 630 | 630 | 1200 |
| 3349 | TASEK LAKE AT SONGSAK (NAPHAKE), | LAKE | MEGHALAYA | 19 | 30 | 6.8 | 7.5 | 7.0 | 7.2 | 55 | 79 | 1.6 | 2.2 | 0.32 | 0.47 | 21 | 120 | 130 | 520 |
| 3723 | TAMDIL LAKE, SAITUAL | LAKE | MIZORAM | 13 | 25 | 7.3 | 10.2 | 6.3 | 10.0 | 38 | 130 | 0.9 | 1.6 | 0.01 | 0.07 | - | - | - | - |
| 3722 | LAWBUAI FISHPOND | POND | MIZORAM | 17 | 27 | 3.6 | 8.7 | 6.3 | 7.8 | 198 | 356 | 0.9 | 2.0 | 0.02 | 0.09 | - | - | - | - |
| 3755 | POND NEAR THERMAL POWER PLANT, BAIRABI | POND | MIZORAM | 18 | 33 | 3.1 | 11.0 | 7.1 | 8.6 | 185 | 265 | 0.3 | 2.8 | 0.02 | 0.20 | - | - | - | - |
| 3743 | PHE RESERVOIR, HELIPAD, NEW SAIHA | TANK | MIZORAM | 13 | 30 | 4.5 | 8.1 | 4.9 | 8.0 | 33 | 329 | 1.3 | 2.1 | 0.01 | 0.20 | - | - | - | - |
| 2886 | PUDUMPUKHURI, DIMAPUR | LAKE | NAGALAND | 19 | 32 | 3.9 | 6.4 | 6.7 | 7.5 | 72 | 132 | 1.8 | 2.4 | 0.09 | 3.50 | - | - | - | - |
| 2887 | BANGLA FISHERY, DIMAPUR | LAKE | NAGALAND | 20 | 31 | 4.8 | 7.1 | 6.7 | 8.6 | 120 | 170 | 1.7 | 2.4 | 0.08 | 1.50 | - | - | - | - |
| 2437 | CHILKA LAKE AT SATAPADA (RAMSAR SITE) | LAKE | ODISHA | 22 | 32 | 6.1 | 8.2 | 7.0 | 8.4 | 1830 | 47720 | 0.5 | 1.8 | 0.02 | 3.22 | 2 | 1300 | 45 | 2400 |
| 2438 | ANSHUPA LAKE KADALIBARI | LAKE | ODISHA | 20 | 37 | 5.1 | 7.8 | 6.9 | 8.4 | 92 | 1888 | 0.6 | 2.5 | 0.02 | 1.86 | 170 | 2200 | 490 | 5400 |
| 3953 | CHILKA AT RAMBHA | LAKE | ODISHA | 13 | 31 | 5.8 | 8.5 | 7.4 | 8.6 | 6898 | 21180 | 0.9 | 2.6 | 0.04 | 1.02 | 2 | 220 | 20 | 1100 |
| 3954 | TAMPADA LAKE AT CHHATRAPUR | LAKE | ODISHA | 12 | 30 | 3.0 | 9.7 | 7.8 | 8.7 | 305 | 1614 | 2.1 | 8.3 | 0.02 | 1.88 | 130 | 3300 | 230 | 17000 |
| 3955 | ANSHUPA AT SUBARANAPUR | LAKE | ODISHA | 18 | 38 | 4.0 | 8.4 | 6.6 | 8.4 | 108 | 239 | 0.6 | 2.1 | 0.02 | 4.66 | 110 | 1100 | 220 | 3500 |
| 3956 | ANSHUPA AT BISHNUPUR | LAKE | ODISHA | 19 | 34 | 4.6 | 7.8 | 6.9 | 7.9 | 112 | 209 | 0.5 | 2.4 | 0.02 | 1.62 | 20 | 2200 | 110 | 3500 |
| 3957 | ANSHUPA AT SARANDAGARH | LAKE | ODISHA | 18 | 37 | 4.8 | 9.2 | 6.6 | 8.3 | 90 | 219 | 0.6 | 2.4 | 0.02 | 1.07 | 45 | 1300 | 170 | 3500 |
| 2431 | BINDUSAGAR (RELIGIOUS POND OF BHUBANESWAR | POND | ODISHA | 20 | 29 | 6.4 | 9.6 | 6.8 | 8.4 | 208 | 498 | 1.3 | 2.9 | 0.02 | 1.67 | 20 | 22000 | 490 | 160000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|------|------------------------------|-------|------------------------------|-------|-----------------------------|-------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | CITY) (NORTH) (LINGRAJ TEMPLE) | | | | | | | | | | | | | | | | | | |
| 2432 | NARENDRA POKHARI (RILIGIOUS POND OF PURI CITY) | POND | ODISHA | 22 | 33 | 4.5 | 12.4 | 7.9 | 8.7 | 461 | 1381 | 2.3 | 6.3 | 0.02 | 2.02 | 2 | 14000 | 20 | 22000 |
| 2433 | MARKANDA POKHARI (RILIGIOUS POND OF PURI CITY) | POND | ODISHA | 23 | 32 | 2.8 | 17.0 | 7.7 | 8.8 | 513 | 735 | 3.7 | 8.8 | 0.23 | 8.91 | 2 | 1700 | 36 | 4900 |
| 2434 | INDRADYUMNA TANK (RILIGIOUS POND OF PURI CITY) | POND | ODISHA | 20 | 32 | 3.1 | 10.9 | 7.4 | 8.5 | 267 | 1279 | 3.5 | 6.7 | 0.02 | 14.57 | 2 | 7900 | 78 | 24000 |
| 2435 | SWETAGANGA (RILIGIOUS POND OF PURI CITY) | POND | ODISHA | 22 | 32 | 2.9 | 18.1 | 7.9 | 8.9 | 424 | 1155 | 3.6 | 8.7 | 0.02 | 6.88 | 2 | 11000 | 2 | 22000 |
| 2436 | PARVATI SAGAR (RILIGIOUS POND OF PURI CITY) | POND | ODISHA | 15 | 33 | 3.5 | 12.3 | 7.2 | 8.5 | 288 | 519 | 3.3 | 8.4 | 0.19 | 4.29 | 2 | 7900 | 45 | 24000 |
| 3962 | JAGANNATH SAGAR POND OF JEYPORE | POND | ODISHA | 16 | 32 | 5.4 | 8.4 | 7.1 | 8.2 | 176 | 369 | 0.9 | 2.7 | 0.02 | 2.30 | 220 | 3300 | 790 | 7900 |
| 3963 | RANIGUDA POND | POND | ODISHA | 19 | 29 | 2.8 | 10.1 | 7.3 | 8.0 | 246 | 1080 | 2.0 | 8.4 | 0.02 | 2.80 | 220 | 7900 | 790 | 13000 |
| 1396 | OUSTERI LAKE | LAKE | PUDUCHERRY | 27 | 32 | 5.2 | 6.6 | 7.2 | 7.5 | 182 | 905 | 0.8 | 2.0 | 0.05 | 0.92 | 13 | 1600 | 23 | 1600 |
| 1686 | BAHOUR LAKE | LAKE | PUDUCHERRY | 28 | 28 | 4.0 | 7.0 | 6.9 | 7.2 | 287 | 332 | 1.0 | 1.5 | 0.02 | 1.42 | 240 | 1600 | 1600 | 1600 |
| 4634 | KANAGAN LAKE | LAKE | PUDUCHERRY | 13 | 32 | 5.1 | 8.5 | 7.2 | 8.8 | 218 | 1542 | 1.5 | 11.0 | 0.03 | 0.82 | 2 | 3900 | 1600 | 11000 |
| 1297 | HARIKE LAKE AT HARIKE VILLAGE, PUNJAB | LAKE | PUNJAB | 11 | 32 | 6.5 | 8.8 | 7.4 | 8.1 | 207 | 280 | 1.1 | 1.8 | 0.50 | 1.20 | 110 | 610 | 700 | 1700 |
| 1382 | HARIKE LAKE D/S FROM CANAL, PUNJAB | LAKE | PUNJAB | 12 | 33 | 7.0 | 8.9 | 7.5 | 8.2 | 204 | 310 | 1.1 | 1.9 | 0.60 | 0.90 | 140 | 920 | 1000 | 2700 |
| 2912 | RANJIT SAGAR RESERVOIR, PUNJAB | LAKE | PUNJAB | 6 | 34 | 0.3 | 8.6 | 7.5 | 8.4 | 138 | 246 | 0.1 | 1.1 | 0.10 | 0.60 | 11 | 46 | 61 | 94 |
| 1285 | PICHOLA LAKE AT UDAIPUR (WATER INTAKE POINT), RAJASTHAN | LAKE | RAJASTHAN | 23 | 26 | 6.9 | 8.6 | 8.0 | 8.8 | 420 | 660 | 1.2 | 2.7 | 1.68 | 2.16 | 21 | 75 | 28 | 150 |
| 1286 | UDAISAGAR LAKE AT UDAIPUR (INTAKE PT.) RAJASTHAN | LAKE | RAJASTHAN | 20 | 26 | 5.1 | 6.8 | 7.6 | 8.8 | 1060 | 1250 | 1.2 | 3.8 | 1.66 | 3.09 | 64 | 150 | 120 | 240 |
| 1414 | PUSHKAR LAKE, RAJASTHAN | LAKE | RAJASTHAN | 21 | 31 | 1.2 | 5.8 | 7.7 | 8.9 | 190 | 560 | 1.5 | 5.3 | 1.55 | 4.72 | 14 | 75 | 28 | 210 |
| 1481 | FATEH SAGAR LAKE AT UDAIPUR INTAKE POINT OF PHED, RAJASTHAN | LAKE | RAJASTHAN | 24 | 26 | 7.0 | 8.8 | 8.3 | 8.8 | 540 | 1590 | 0.7 | 3.2 | 1.15 | 1.75 | 64 | 93 | 120 | 150 |
| 1716 | NAKKI LAKE, MT. ABU, RAJASTHAN | LAKE | RAJASTHAN | 14 | 28 | 3.4 | 7.3 | 7.8 | 8.2 | 230 | 330 | 0.7 | 2.7 | 1.14 | 2.63 | 39 | 93 | 75 | 210 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|------|------------|------|------------------------------|------|------------------------------|-----|-----------------------------|------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2935 | JET SAGAR LAKE, BUNDI, RAJASTHAN | LAKE | RAJASTHAN | 20 | 30 | 1.6 | 6.9 | 7.9 | 8.6 | 310 | 510 | 1.1 | 3.3 | 0.92 | 2.29 | 39 | 240 | 75 | 460 |
| 2937 | SILISERH LAKE, ALWAR, RAJASTHAN | LAKE | RAJASTHAN | 20 | 32 | 5.2 | 6.8 | 7.0 | 8.3 | 210 | 280 | 0.6 | 3.1 | 0.08 | 1.76 | 14 | 23 | 21 | 64 |
| 2938 | RAJSAMAND LAKE , RAJSAMAND- POINT NO. 1, RAJSAMAND, RAJASTHAN | LAKE | RAJASTHAN | 17 | 22 | 4.1 | 6.6 | 8.3 | 8.7 | 310 | 630 | 1.0 | 3.4 | 0.92 | 2.10 | 39 | 150 | 75 | 240 |
| 2939 | RAJSAMAND LAKE , RAJSAMAND- POINT NO. 2, RAJSAMAND, RAJASTHAN | LAKE | RAJASTHAN | 17 | 22 | 4.0 | 6.9 | 8.4 | 8.8 | 420 | 640 | 0.8 | 2.8 | 1.10 | 2.06 | 39 | 240 | 64 | 460 |
| 2940 | GAPE- SAGAR LAKE, DUNGARPUR, RAJASTHAN | LAKE | RAJASTHAN | 22 | 25 | 5.1 | 7.6 | 8.1 | 8.8 | 560 | 750 | 0.8 | 4.3 | 1.54 | 2.29 | 64 | 240 | 120 | 1100 |
| 2941 | JAISAMAND LAKE, SALUMBER, UDAIPUR, POINT NO. 1, RAJASTHAN | LAKE | RAJASTHAN | 22 | 26 | 7.2 | 9.0 | 8.4 | 8.8 | 470 | 520 | 1.0 | 2.3 | 1.24 | 1.66 | 23 | 75 | 39 | 150 |
| 2942 | JAISAMAND LAKE, SALUMBER, UDAIPUR, POINT NO. 2, RAJASTHAN | LAKE | RAJASTHAN | 22 | 26 | 7.0 | 8.8 | 8.3 | 8.6 | 480 | 720 | 1.5 | 2.2 | 1.24 | 2.62 | 23 | 64 | 64 | 120 |
| 2943 | LODHA TALAB, BANSWARA-DUNGARPUR ROAD, BANSWARA, RAJASTHAN | LAKE | RAJASTHAN | 19 | 34 | 1.0 | 5.8 | 7.6 | 8.1 | 430 | 1010 | 1.6 | 4.4 | 2.07 | 3.05 | 75 | 460 | 150 | 2400 |
| 4177 | SWAROOP SAGAR LAKE | LAKE | RAJASTHAN | 20 | 26 | 4.8 | 7.6 | 7.9 | 9.4 | 390 | 650 | 1.0 | 2.4 | 1.25 | 2.50 | 14 | 150 | 21 | 460 |
| 4178 | GOVERDHAN SAGAR, UDAIPUR | LAKE | RAJASTHAN | 20 | 26 | 3.0 | 6.4 | 8.0 | 9.0 | 690 | 920 | 1.4 | 4.1 | 1.35 | 2.29 | 64 | 460 | 120 | 1100 |
| 4795 | NELA TALAB, SECTOR-14 HIRAN MARG, UDAIPUR | LAKE | RAJASTHAN | 20 | 26 | 3.2 | 5.1 | 7.9 | 8.7 | 540 | 880 | 1.1 | 4.4 | 1.56 | 2.33 | 93 | 150 | 150 | 240 |
| 4179 | BADI KA TALAB, UDAIPUR | POND | RAJASTHAN | 24 | 26 | 7.2 | 8.8 | 7.9 | 8.6 | 360 | 430 | 1.0 | 2.3 | 1.02 | 1.82 | 20 | 64 | 39 | 120 |
| 1420 | KODAI KANAL LAKE, TAMILNADU | LAKE | TAMIL NADU | 18 | 30 | 6.0 | 6.5 | 6.0 | 7.8 | 68 | 182 | 2.0 | 4.0 | 0.32 | 2.36 | 36 | 49 | 60 | 96 |
| 1421 | UDHAGAMADALEM LAKE (OOTY), TAMILNADU | LAKE | TAMIL NADU | 17 | 23 | 4.6 | 6.6 | 6.7 | 7.9 | 345 | 517 | 2.0 | 11.1 | 0.04 | 0.96 | 12 | 220 | 34 | 540 |
| 1452 | YERCAUD LAKE, SALEM, TAMILNADU | LAKE | TAMIL NADU | 20 | 24 | 5.9 | 7.1 | 6.5 | 8.0 | 286 | 378 | 0.1 | 2.0 | 0.22 | 0.77 | 25 | 260 | 120 | 630 |
| 3007 | VEERANAM LAKE AT CUDDALORE, TAMILNADU | LAKE | TAMIL NADU | 23 | 27 | 5.7 | 7.0 | 7.9 | 8.4 | 454 | 725 | 0.1 | 2.4 | 0.15 | 0.84 | 31 | 94 | 70 | 280 |
| 3008 | POONDI LAKE AT THIRUVALLUR, TAMILNADU | LAKE | TAMIL NADU | 26 | 32 | 5.0 | 7.0 | 7.2 | 8.3 | 358 | 615 | 2.0 | 3.0 | 0.32 | 1.05 | 2 | 2 | 2 | 170 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|-------|------------|------|------------------------------|--------|------------------------------|-----|-----------------------------|------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3009 | REDD HILLS AT THIRUVALLUR, TAMILNADU | LAKE | TAMIL NADU | 26 | 31 | 4.9 | 6.4 | 7.0 | 8.3 | 340 | 531 | 1.0 | 3.0 | 0.14 | 2.05 | 2 | 93 | 2 | 490 |
| 3010 | PORUR LAKE AT THIRUVALLUR, TAMILNADU | LAKE | TAMIL NADU | 26 | 30 | 5.0 | 7.0 | 7.2 | 8.7 | 836 | 1657 | 1.0 | 3.0 | 0.32 | 1.85 | 2 | 120 | 40 | 1300 |
| 3011 | PULICATE LAKE AT THIRUVALLUR, TAMILNADU | LAKE | TAMIL NADU | 26 | 32 | 4.8 | 5.7 | 7.3 | 8.6 | 13010 | 65200 | 2.0 | 4.0 | 0.32 | 2.21 | 2 | 45 | 2 | 330 |
| 1391 | HUSSAIN SAGAR LAKE, BUDAMERU | LAKE | TELANGANA | 25 | 31 | 0.4 | 6.0 | 6.9 | 8.1 | 1066 | 1566 | 8.0 | 28.0 | 2.59 | 51.00 | 14 | 540 | 350 | 1600 |
| 1788 | SAROORNAGAR , RANGA REDDY DIST. | LAKE | TELANGANA | 26 | 33 | 0.1 | 3.9 | 6.8 | 7.9 | 1070 | 1498 | 8.0 | 46.0 | 0.10 | 9.00 | 8 | 70 | 31 | 1600 |
| 1789 | HIMAYAT SAGAR LAKE , R.R.DIST. | LAKE | TELANGANA | 27 | 30 | 4.0 | 7.5 | 7.2 | 8.2 | 272 | 602 | 2.1 | 3.0 | 0.29 | 2.10 | 2 | 8 | 5 | 154 |
| 2340 | LAXMINARAYANA CHERUVU AT EDULABAD, RANGAREDDY | LAKE | TELANGANA | 22 | 29 | 0.1 | 5.8 | 7.1 | 8.6 | 1084 | 1630 | 2.7 | 20.0 | 0.70 | 8.00 | 2 | 24 | 2 | 430 |
| 2341 | MIRALAM LAKE NEAR ZOO PARK, RANGAREDDY | LAKE | TELANGANA | 26 | 32 | 0.1 | 5.4 | 6.9 | 8.2 | 1048 | 1547 | 6.0 | 20.0 | 1.10 | 107.00 | 2 | 36 | 220 | 1600 |
| 2342 | NOOR MD. KUNTA, KATTEDAN, RANGAREDDY | LAKE | TELANGANA | 26 | 29 | 0.1 | 0.3 | 7.0 | 7.7 | 1072 | 2710 | 12.0 | 98.0 | 3.90 | 19.00 | 2 | 70 | 110 | 1600 |
| 3068 | RAMAPPA LAKE, WARANGAL | LAKE | TELANGANA | 27 | 27 | 5.8 | 6.8 | 7.4 | 8.6 | 155 | 274 | 2.1 | 4.0 | 0.01 | 7.00 | 2 | 2 | 2 | 70 |
| 3069 | SHAMEERPET LAKE, SHAMEERPET, RANGA REDDY | LAKE | TELANGANA | 26 | 30 | 4.2 | 6.0 | 6.9 | 8.3 | 408 | 699 | 2.0 | 4.0 | 0.40 | 3.50 | 2 | 10 | 18 | 280 |
| 3070 | FOX SAGAR, JEEDIMETLA, RANGA REDDY | LAKE | TELANGANA | 26 | 31 | 0.1 | 4.8 | 7.1 | 7.8 | 1066 | 2496 | 6.0 | 48.0 | 1.64 | 12.00 | 2 | 49 | 79 | 1600 |
| 3071 | LANGARHOUSE LAKE, HYDERABAD | LAKE | TELANGANA | 26 | 32 | 0.1 | 3.4 | 6.9 | 7.7 | 840 | 1414 | 4.0 | 28.0 | 0.40 | 19.00 | 2 | 36 | 20 | 540 |
| 3072 | SAFILGUDA LAKE, RANGA REDDY | LAKE | TELANGANA | 25 | 30 | 0.1 | 2.0 | 6.9 | 7.6 | 816 | 1776 | 6.0 | 28.0 | 2.04 | 22.00 | 8 | 26 | 26 | 430 |
| 3073 | HASMATHPET LAKE, HASMATHPET, RANGA REDDY | LAKE | TELANGANA | 24 | 30 | 0.1 | 1.2 | 6.9 | 7.5 | 928 | 1728 | 10.0 | 32.0 | 0.70 | 25.00 | 17 | 150 | 230 | 1600 |
| 3074 | BANJARA LAKE, BANJARA HILLS, RANGA REDDY | LAKE | TELANGANA | 26 | 30 | 0.3 | 0.9 | 7.0 | 7.8 | 1080 | 1144 | 8.0 | 12.0 | 1.18 | 1.51 | 14 | 130 | 280 | 920 |
| 4229 | NEKNAMPUR LAKE | LAKE | TELANGANA | 25 | 35 | 0.1 | 5.2 | 7.0 | 7.7 | 1160 | 2021 | 2.9 | 34.0 | 1.40 | 7.87 | 2 | 32 | 74 | 430 |
| 4234 | UMDA SAGAR LAKE, SHAMSHABAD | LAKE | TELANGANA | 27 | 28 | 0.1 | 4.7 | 6.7 | 8.9 | 712 | 1480 | 4.0 | 30.0 | 0.30 | 13.00 | 4 | 130 | 180 | 540 |
| 4235 | LAKE KAMUNI (SHAMSHABAD LAKE) | LAKE | TELANGANA | 23 | 32 | 0.1 | 5.1 | 7.1 | 8.5 | 645 | 1894 | 2.6 | 28.0 | 1.00 | 20.00 | 2 | 36 | 74 | 430 |
| 4667 | SURRAM CHERUVU (PALLE CHERUVU), BANDLAGUDA (V), | LAKE | TELANGANA | 26 | 30 | 0.1 | 3.0 | 6.8 | 8.3 | 1081 | 2518 | 8.0 | 42.0 | 3.40 | 18.00 | 2 | 46 | 63 | 540 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|------|------------|------|------------------------------|-------|------------------------------|-----|-----------------------------|------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| | BANDLAGUDA (NEW MANDAL) | | | | | | | | | | | | | | | | | | |
| 4668 | CHINNARAYAN CHERUVU, ALWAL (V) | LAKE | TELANGANA | 26 | 30 | 0.1 | 4.5 | 6.9 | 7.9 | 1105 | 1992 | 8.0 | 32.0 | 1.00 | 16.00 | 2 | 20 | 49 | 430 |
| 4669 | PEDDA CHERUVU, GANGARAM (V) SERLINGAMPALLY (NEW MANDAL) | LAKE | TELANGANA | 20 | 28 | 0.1 | 3.9 | 6.7 | 8.4 | 1122 | 2485 | 6.0 | 32.0 | 3.10 | 16.00 | 12 | 36 | 120 | 540 |
| 4670 | MADDELLA KUNTA/ BAIRAMALGUDA CHERUVU | LAKE | TELANGANA | 27 | 29 | 0.1 | 4.3 | 6.9 | 8.2 | 474 | 1360 | 2.2 | 18.0 | 0.30 | 4.10 | 2 | 17 | 70 | 220 |
| 4672 | MEDI KUNTA (WIPRO LAKE), NANAKRAMGUDA | LAKE | TELANGANA | 22 | 35 | 0.1 | 5.0 | 7.2 | 8.4 | 887 | 1480 | 4.0 | 22.0 | 1.00 | 8.50 | 4 | 36 | 84 | 430 |
| 4673 | MEEDI KUNTA (BK ENCLAVE LAKE), MAQTA MAHBOOBPET, (MADEENAGUDA) | LAKE | TELANGANA | 18 | 29 | 0.1 | 3.2 | 6.9 | 7.4 | 685 | 1553 | 6.0 | 34.0 | 0.80 | 5.00 | 4 | 26 | 110 | 920 |
| 4674 | MEEDI KUNTA, HAFEEZPET (V) | LAKE | TELANGANA | 19 | 28 | 0.3 | 3.0 | 7.3 | 7.8 | 729 | 1216 | 4.0 | 12.0 | 1.20 | 11.40 | 2 | 15 | 84 | 430 |
| 4676 | BANDA CHERUVU, MALKAJIGIRI (V), MALKAJIGIRI (NEW MANDAL) | LAKE | TELANGANA | 26 | 30 | 0.1 | 2.8 | 6.9 | 7.8 | 1216 | 1642 | 7.0 | 32.0 | 1.80 | 22.00 | 2 | 70 | 63 | 430 |
| 4677 | LINGAM CHERUVU, SURARAM (V), QUTHUBULLAPUR | LAKE | TELANGANA | 26 | 30 | 0.1 | 5.0 | 6.9 | 7.9 | 1267 | 1800 | 7.0 | 25.0 | 2.10 | 28.00 | 2 | 49 | 110 | 480 |
| 4678 | PATEL CHERUVU, NACHARAM (V), UPPAL (NEW MANDAL) | LAKE | TELANGANA | 19 | 29 | 0.1 | 1.0 | 7.0 | 7.9 | 1220 | 1820 | 8.0 | 32.0 | 0.80 | 12.00 | 5 | 70 | 33 | 540 |
| 4679 | HUDA PARK LAKE/ BUMRUKH KHAN DOWLA | LAKE | TELANGANA | 22 | 35 | 0.1 | 2.6 | 6.8 | 7.9 | 1546 | 2299 | 10.0 | 36.0 | 2.40 | 5.70 | 8 | 79 | 110 | 540 |
| 4680 | LAKNAVARAM CHERUVU, MULUGU (V) | LAKE | TELANGANA | 28 | 29 | 5.5 | 6.8 | 6.5 | 8.0 | 98 | 640 | 2.0 | 12.0 | 0.36 | 4.20 | 2 | 17 | 20 | 170 |
| 4681 | PHAKAL CHERUVU, NARSAMPET | LAKE | TELANGANA | 27 | 30 | 4.4 | 6.4 | 7.6 | 8.2 | 175 | 376 | 2.0 | 2.8 | 0.10 | 2.00 | 2 | 26 | 14 | 240 |
| 4682 | BANDAM CHERUVU, HANAMKONDA | LAKE | TELANGANA | 27 | 28 | 0.1 | 5.6 | 7.2 | 8.2 | 808 | 1480 | 3.0 | 18.0 | 0.30 | 4.00 | 18 | 74 | 140 | 430 |
| 4683 | PEDDA CHERUVU, MADIKONDA | LAKE | TELANGANA | 27 | 28 | 2.2 | 5.8 | 7.3 | 8.3 | 420 | 715 | 2.2 | 12.0 | 0.20 | 1.74 | 2 | 22 | 27 | 120 |
| 4684 | CAMPUS LAKE, ICRISAT | LAKE | TELANGANA | 17 | 28 | 5.2 | 7.1 | 6.8 | 7.4 | 158 | 950 | 2.2 | 4.0 | 2.10 | 7.29 | 3 | 84 | 170 | 350 |
| 4685 | SURISIGAL LAKE ICRISAT | LAKE | TELANGANA | 17 | 26 | 5.2 | 7.2 | 6.8 | 7.4 | 242 | 762 | 2.4 | 5.0 | 2.16 | 8.33 | 3 | 240 | 170 | 1600 |
| 4686 | ICRISAT LAKE, ICRISAT | LAKE | TELANGANA | 18 | 26 | 5.7 | 6.8 | 6.6 | 7.3 | 238 | 903 | 2.8 | 5.0 | 1.49 | 15.28 | 3 | 36 | 33 | 540 |
| 4687 | RED LAKE, ICRISAT | LAKE | TELANGANA | 18 | 25 | 5.8 | 6.9 | 6.6 | 7.5 | 345 | 1220 | 2.2 | 5.6 | 4.20 | 18.36 | 4 | 13 | 110 | 430 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|-------|------------|-------|------------------------------|-------|------------------------------|-----|-----------------------------|------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4688 | NARINJA LAKE | LAKE | TELANGANA | 24 | 24 | 6.5 | 7.4 | 6.9 | 7.4 | 154 | 283 | 2.1 | 3.0 | 1.24 | 3.25 | 2 | 33 | 6 | 110 |
| 4690 | BANJARA KUNTA (SINGADI KUNTA), SHAIKPET | LAKE | TELANGANA | 26 | 29 | 0.1 | 3.8 | 6.8 | 8.1 | 942 | 1346 | 8.0 | 34.0 | 2.01 | 12.00 | 2 | 79 | 110 | 430 |
| 4691 | NAGOLE CHERUVU, UPPAL (V) | LAKE | TELANGANA | 22 | 31 | 0.1 | 2.8 | 6.8 | 7.8 | 1034 | 1883 | 6.0 | 44.0 | 0.80 | 14.00 | 2 | 84 | 220 | 920 |
| 4693 | PATEL CHERUVU, UPPAL (V) | LAKE | TELANGANA | 19 | 26 | 0.1 | 2.2 | 6.8 | 7.4 | 966 | 1503 | 5.0 | 20.0 | 1.20 | 12.00 | 8 | 79 | 150 | 540 |
| 4696 | PARKI CHERUVU, KUKATPALLY (V), BALANAGAR | LAKE | TELANGANA | 25 | 29 | 0.1 | 3.8 | 6.8 | 8.4 | 1043 | 1818 | 10.0 | 36.0 | 2.90 | 29.00 | 2 | 79 | 13 | 920 |
| 4697 | MUKKIDI CHERUVU (RAMAKRISHNAPURAM LAKE), MALKAJIGRI | LAKE | TELANGANA | 27 | 27 | 5.2 | 5.2 | 8.5 | 8.5 | 561 | 561 | 6.0 | 6.0 | 16.00 | 16.00 | 5 | 5 | 33 | 33 |
| 4698 | MANNEVARI KUNTA, MACHABOLLARAM (V) ALWAL | LAKE | TELANGANA | 26 | 31 | 0.1 | 4.0 | 7.0 | 7.8 | 1146 | 2014 | 9.0 | 52.0 | 1.90 | 13.00 | 2 | 34 | 63 | 430 |
| 4699 | KAPRAI CHERUVU, SAHEBNAGAR (V), HAYATHNAGAR | LAKE | TELANGANA | 25 | 28 | 1.2 | 4.8 | 6.6 | 7.8 | 388 | 959 | 2.1 | 8.0 | 0.30 | 3.00 | 2 | 115 | 28 | 540 |
| 4701 | LINGAM KUNTA, CHANDANAGAR (V) SERLINGAMPALLY | LAKE | TELANGANA | 20 | 29 | 0.1 | 3.2 | 6.8 | 7.8 | 1172 | 1737 | 5.0 | 28.0 | 1.62 | 12.00 | 2 | 94 | 94 | 540 |
| 4702 | PEDDA CHERUVU - KHAJA GUDA, KHJAGUDA (V), SERLINGAMPALLY 9NEW MANDAL) | LAKE | TELANGANA | 22 | 30 | 2.1 | 5.9 | 7.2 | 8.1 | 1132 | 1793 | 8.0 | 34.0 | 13.00 | 41.00 | 13 | 280 | 49 | 1600 |
| 4705 | KOTHA CHERUVU (ALWAL CHERUVU), ALWAL (V) | LAKE | TELANGANA | 26 | 30 | 0.1 | 2.8 | 7.0 | 7.6 | 1700 | 1916 | 10.0 | 38.0 | 5.00 | 22.30 | 11 | 49 | 130 | 430 |
| 2344 | NALLA CHERUVU, RANGAREDDY | POND | TELANGANA | 26 | 30 | 0.3 | 2.4 | 7.6 | 7.7 | 1499 | 1669 | 10.0 | 14.0 | 1.90 | 3.41 | 2 | 20 | 8 | 350 |
| 2345 | SAI CHERUVU, NEAR TANNERY INDUSTRIES, DESAIPET, WARANGAL | POND | TELANGANA | 28 | 29 | 0.1 | 4.7 | 6.8 | 8.4 | 2491 | 14650 | 21.0 | 82.0 | 1.90 | 11.00 | 2 | 58 | 18 | 430 |
| 2346 | BHADRAKALI CHERUVU, BHADRAKALI TEMPLE, WARANGAL | POND | TELANGANA | 27 | 29 | 4.2 | 6.7 | 7.5 | 8.5 | 350 | 590 | 2.1 | 3.2 | 0.60 | 2.00 | 2 | 2 | 6 | 58 |
| 2347 | ASANI KUNTA, KAJIPALLY, MEDAK | POND | TELANGANA | 18 | 32 | 0.1 | 0.3 | 6.3 | 7.6 | 1409 | 12540 | 51.0 | 486.0 | 0.64 | 61.63 | 2 | 350 | 28 | 1600 |
| 2357 | DURGAM CHERUVU | POND | TELANGANA | 27 | 30 | 0.1 | 4.8 | 7.1 | 8.7 | 814 | 1256 | 6.0 | 18.0 | 0.20 | 8.00 | 2 | 36 | 140 | 1600 |
| 2359 | PEDDA CHERUVU | POND | TELANGANA | 26 | 32 | 0.1 | 1.1 | 7.1 | 7.8 | 914 | 1615 | 12.0 | 60.0 | 0.20 | 20.00 | 12 | 49 | 210 | 1600 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|------|------------|------|------------------------------|-------|------------------------------|-----|-----------------------------|------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3075 | RANGADHAMUNI CHERUVU, RANGA REDDY | POND | TELANGANA | 26 | 30 | 0.1 | 4.0 | 6.8 | 8.2 | 762 | 1549 | 5.0 | 32.0 | 0.80 | 18.00 | 2 | 70 | 140 | 540 |
| 3076 | AMBER CHERUVU, KUKATPALLY, RANGA REDDY | POND | TELANGANA | 26 | 32 | 0.1 | 2.9 | 7.0 | 7.8 | 994 | 1864 | 8.0 | 34.0 | 1.57 | 18.00 | 2 | 84 | 230 | 540 |
| 3077 | KAPRA CHERUVU, KAPRA, RANGA REDDY | POND | TELANGANA | 27 | 29 | 0.1 | 4.6 | 7.0 | 7.9 | 1139 | 1667 | 8.0 | 12.0 | 1.20 | 4.10 | 15 | 49 | 210 | 920 |
| 3078 | PRAGATHINAGAR CHERUVU, KUKATPALLY, RANGA REDDY | POND | TELANGANA | 26 | 32 | 0.1 | 2.8 | 7.0 | 7.7 | 998 | 1716 | 8.0 | 38.0 | 1.50 | 14.00 | 22 | 130 | 350 | 920 |
| 4236 | PEDDA CHERUVU (NACHARAM CHERUVU) | POND | TELANGANA | 28 | 28 | 0.3 | 0.3 | 7.5 | 7.5 | 1498 | 1498 | 15.0 | 15.0 | 2.83 | 2.83 | - | - | - | - |
| 4665 | OUTLET OF KTPP ASH POND JOINING TO MORANCHA VAGU, CHELPUR, GHANPUR | POND | TELANGANA | 27 | 29 | 3.4 | 5.7 | 7.4 | 8.4 | 480 | 990 | 2.3 | 5.0 | 0.50 | 2.20 | 2 | 23 | 18 | 130 |
| 4675 | LOTUS POND, HAKIMPET (V), SHAIK PET (NEW MANDAL) | POND | TELANGANA | 25 | 29 | 0.8 | 5.0 | 6.9 | 8.3 | 600 | 880 | 3.0 | 16.0 | 1.20 | 32.00 | 2 | 32 | 21 | 350 |
| 1447 | DHARMASAGAR TANK NEAR WARANGAL | TANK | TELANGANA | 27 | 28 | 5.6 | 6.5 | 7.5 | 8.8 | 187 | 380 | 2.0 | 3.0 | 0.30 | 2.00 | 2 | 2 | 4 | 39 |
| 1464 | BIBINAGAR TANK | TANK | TELANGANA | 16 | 28 | 5.6 | 6.9 | 7.0 | 7.5 | 408 | 582 | 3.0 | 4.0 | 2.14 | 7.32 | 2 | 13 | 27 | 110 |
| 1780 | GANDIGUEDEM TANK , MEDAK DISTRICT | TANK | TELANGANA | 17 | 34 | 5.6 | 6.6 | 6.9 | 7.4 | 773 | 2938 | 3.8 | 7.0 | 6.19 | 20.35 | 2 | 13 | 13 | 120 |
| 1783 | KISTAREDDYPET TANK , MEDAK DIST. | TANK | TELANGANA | 18 | 30 | 4.9 | 7.2 | 6.7 | 7.4 | 1120 | 6250 | 4.0 | 9.0 | 8.11 | 31.24 | 2 | 26 | 16 | 110 |
| 2343 | PREMAJIPET TANK, KATTEDAN, RANGAREDDY | TANK | TELANGANA | 27 | 33 | 0.1 | 3.8 | 6.8 | 8.5 | 1670 | 6110 | 16.0 | 68.0 | 0.50 | 18.00 | 2 | 36 | 14 | 540 |
| 2348 | KAJIPALLY TANK, KAJIPALLY, MEDAK | TANK | TELANGANA | 21 | 25 | 4.1 | 6.3 | 6.9 | 7.4 | 2080 | 3510 | 3.0 | 5.4 | 12.18 | 57.32 | 2 | 4 | 8 | 79 |
| 2358 | MALLAPUR TANK | TANK | TELANGANA | 25 | 30 | 0.1 | 0.3 | 7.0 | 7.8 | 1270 | 2343 | 16.0 | 52.0 | 1.60 | 17.00 | 14 | 430 | 350 | 1600 |
| 3084 | WADDEPALLY TANK, KAZIPET, WARANGAL | TANK | TELANGANA | 18 | 29 | 4.2 | 6.5 | 6.9 | 8.4 | 319 | 1321 | 2.0 | 6.0 | 0.30 | 8.21 | 2 | 8 | 24 | 84 |
| 3085 | CHINNA WADDEPALLY TANK, WARANGAL | TANK | TELANGANA | 27 | 29 | 0.1 | 5.8 | 6.9 | 9.5 | 481 | 1296 | 2.1 | 40.0 | 0.80 | 17.00 | 2 | 39 | 63 | 540 |
| 3086 | SAKI TANK, PATANCHERU, RANGA REDDY | TANK | TELANGANA | 18 | 26 | 5.0 | 7.1 | 7.1 | 7.4 | 495 | 2083 | 3.0 | 6.4 | 0.32 | 9.18 | 2 | 9 | 25 | 84 |
| 4222 | KONERU, KONDAGATTU TEMPLE, JAGITIYAL | TANK | TELANGANA | 27 | 27 | 2.0 | 4.8 | 7.1 | 7.6 | 951 | 1332 | 4.0 | 10.0 | 4.00 | 4.60 | 14 | 70 | 320 | 350 |
| 4223 | VEMULAWADA TEMPLE KONERU, KARIMNAGAR | TANK | TELANGANA | 26 | 28 | 2.1 | 3.4 | 7.1 | 7.3 | 1079 | 1290 | 12.0 | 18.0 | 4.00 | 5.00 | 20 | 26 | 280 | 430 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|-------|------------|------|------------------------------|-------|------------------------------|-----|-----------------------------|-----|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4225 | JOGULAMBA TEMPLE, GADWAL | TANK | TELANGANA | 26 | 31 | 4.8 | 6.2 | 6.9 | 8.4 | 660 | 1808 | 2.0 | 4.0 | 0.20 | 4.00 | 2 | 13 | 6 | 70 |
| 4228 | IBRAHIM CHERUVU, RAJENDRA NAGAR | TANK | TELANGANA | 30 | 32 | 0.3 | 1.7 | 6.9 | 7.3 | 1246 | 1686 | 8.0 | 12.0 | 1.20 | 6.90 | 2 | 27 | 33 | 920 |
| 4230 | KISTAIPALLY TANK, KAZIPET, WARANGAL | TANK | TELANGANA | 21 | 37 | 0.9 | 6.2 | 7.1 | 7.4 | 1391 | 3075 | 2.1 | 12.0 | 6.90 | 24.38 | 2 | 27 | 2 | 920 |
| 4231 | RAYAM CHERUVU, BONTHAPALLY VILLAGE, JINNARAM MANDAL, SANGAREDDY DISTRICT | TANK | TELANGANA | 21 | 37 | 5.0 | 6.4 | 7.0 | 7.4 | 234 | 625 | 2.1 | 3.4 | 2.16 | 9.00 | 2 | 5 | 2 | 110 |
| 4232 | KOMATI CHERUVU, SIDDIPET TOWN, SIDIPET DISTRICT | TANK | TELANGANA | 24 | 37 | 5.8 | 6.8 | 7.0 | 7.4 | 323 | 943 | 2.1 | 4.2 | 2.08 | 10.37 | 2 | 68 | 2 | 70 |
| 4233 | GADDAPOTHARAM CHERUVU, GADDAPOTHARAM VILLAGE, JINNARAM MANDAL, SANGAREDDY DIST | TANK | TELANGANA | 21 | 37 | 4.0 | 5.1 | 6.3 | 7.4 | 2600 | 6600 | 6.0 | 10.0 | 13.31 | 37.42 | 2 | 17 | 2 | 220 |
| 4237 | MULLAKATWA CHERUVU, JI TECH CITY, MADHAPUR, | TANK | TELANGANA | 25 | 32 | 0.1 | 0.3 | 6.9 | 7.8 | 1158 | 1558 | 6.0 | 22.0 | 0.50 | 6.00 | 5 | 33 | 170 | 920 |
| 4238 | AMEENPUR CHERUVU, AMEENPUR (V & M) SANGAREDDY DISTRICT | TANK | TELANGANA | 21 | 26 | 5.0 | 6.1 | 6.9 | 7.4 | 685 | 1680 | 3.4 | 5.0 | 1.28 | 19.31 | 2 | 24 | 92 | 280 |
| 4239 | MAHABOBSAGAR TANK SANGAREDDY (V & M) SANGAREDDY DISTRICT | TANK | TELANGANA | 17 | 26 | 5.0 | 6.0 | 6.7 | 7.5 | 448 | 1861 | 2.8 | 5.2 | 3.13 | 16.28 | 3 | 92 | 33 | 240 |
| 4240 | MUTHANGI TANK, MUTHANGI (V), PATANCHERU (M) SANGAREDDY DISTRICT | TANK | TELANGANA | 23 | 24 | 4.9 | 5.4 | 7.2 | 7.3 | 249 | 325 | 2.8 | 3.2 | 3.10 | 4.14 | 2 | 4 | 17 | 22 |
| 4241 | CHITKUL TANK, CHITKUL (V) PATANCHERU (M) SANGAREDDY DISTRICT | TANK | TELANGANA | 19 | 26 | 4.5 | 5.4 | 6.9 | 7.3 | 725 | 2680 | 2.8 | 5.8 | 7.17 | 26.28 | 2 | 68 | 20 | 130 |
| 4242 | LAKADARAM CHERUVU, LAKADARAM (V) PATANCHERU (M) SANGAREDDY DISTRICT | TANK | TELANGANA | 16 | 26 | 4.6 | 5.7 | 6.6 | 7.4 | 610 | 1962 | 3.0 | 6.0 | 4.12 | 17.37 | 2 | 12 | 20 | 94 |
| 4243 | ISNAPUR TANK, ISNAPUR (V) PATANCHERU 9M) SANGAREDDY DISTRICT | TANK | TELANGANA | 18 | 26 | 3.5 | 5.0 | 6.7 | 7.4 | 1328 | 11200 | 4.2 | 86.0 | 8.39 | 45.31 | 2 | 33 | 24 | 210 |
| 4244 | YERDANOOR TANK, YERDANOOR (V) SANGAREDDY DISTRICT | TANK | TELANGANA | 18 | 24 | 6.0 | 6.4 | 6.8 | 7.4 | 420 | 1843 | 2.4 | 3.6 | 4.11 | 16.53 | 2 | 6 | 47 | 63 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|------------|----------------|-----|-------------------------|-----|-----|------|-------------------------|------|------------|------|------------------------------|-------|------------------------------|-----|-----------------------------|-----|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 4245 | MALLEPALLY TANK MALLEPALLY (V) KONDAPUR (M) SANGAREDDY DISTRICT | TANK | TELANGANA | 20 | 24 | 5.4 | 6.2 | 6.8 | 7.4 | 405 | 3013 | 3.0 | 5.0 | 2.10 | 22.58 | 2 | 15 | 31 | 70 |
| 4246 | PASHAMYLARAM TANK | TANK | TELANGANA | 19 | 19 | 4.7 | 4.7 | 7.2 | 7.2 | 5500 | 5500 | 7.0 | 7.0 | 23.30 | 23.30 | 2 | 2 | 70 | 70 |
| 4247 | MUCHARLA NAGARAM CHERUVU, WARANGAL | TANK | TELANGANA | 25 | 29 | 1.0 | 5.5 | 7.4 | 8.5 | 527 | 1010 | 2.2 | 16.0 | 0.30 | 3.00 | 2 | 26 | 28 | 430 |
| 4248 | KOTI CHERUVU, HANAMKONDA, WARANGAL | TANK | TELANGANA | 27 | 29 | 0.1 | 4.3 | 6.8 | 8.4 | 698 | 1124 | 4.0 | 18.0 | 0.60 | 8.00 | 2 | 22 | 14 | 540 |
| 4249 | RANGASAMUDRAM, WARANGAL | TANK | TELANGANA | 27 | 29 | 0.1 | 4.8 | 7.2 | 8.4 | 644 | 1585 | 3.8 | 18.0 | 0.30 | 4.00 | 8 | 38 | 73 | 430 |
| 4302 | RUDRARAM TANK, RUDRARAM (V)PATANCHERU (M) SANGAREDDY DISTRICT | TANK | TELANGANA | 18 | 28 | 5.0 | 6.6 | 6.7 | 7.5 | 715 | 2979 | 2.6 | 5.0 | 6.10 | 24.21 | 2 | 9 | 20 | 84 |
| 4689 | SUNNAM KUNTA, JUBILLE HILLS | TANK | TELANGANA | 26 | 29 | 0.1 | 4.5 | 7.1 | 8.0 | 434 | 1030 | 4.0 | 26.0 | 0.88 | 18.00 | 2 | 26 | 58 | 350 |
| 4700 | LARGE TANK, SAROORNAGAR (V) | TANK | TELANGANA | 25 | 29 | 0.1 | 2.5 | 6.7 | 7.6 | 1296 | 1620 | 6.0 | 30.0 | 0.62 | 8.00 | 2 | 94 | 130 | 540 |
| 4703 | BULBUL KUNTA, LAXMI NAGAR (V), RAJENDRANAGAR | TANK | TELANGANA | 22 | 30 | 0.1 | 3.2 | 7.1 | 7.8 | 1326 | 2158 | 14.0 | 34.0 | 1.40 | 8.00 | 17 | 110 | 320 | 920 |
| 4704 | PEDDA CHERUVU, MANSOORABAD (V), SAROORNAGAR | TANK | TELANGANA | 27 | 30 | 0.1 | 3.3 | 6.9 | 11.1 | 573 | 1720 | 6.0 | 30.0 | 0.30 | 20.00 | 2 | 41 | 130 | 430 |
| 1727 | LAXMI NARAYAN BARI PALACE COMPOUND, TRIPURA | LAKE | TRIPURA | 23 | 30 | 5.7 | 6.7 | 7.0 | 8.3 | 126 | 179 | 0.9 | 1.4 | 0.30 | 1.28 | 15 | 38 | 47 | 150 |
| 1728 | RUDRASAGAR, SONUMURA, TRIPURA | LAKE | TRIPURA | 22 | 29 | 5.1 | 6.3 | 6.7 | 7.3 | 118 | 1229 | 1.0 | 2.7 | 0.78 | 1.92 | 25 | 58 | 94 | 280 |
| 3391 | DHAMBUR LAKE, DHALAI | LAKE | TRIPURA | 22 | 29 | 5.4 | 6.9 | 6.8 | 7.7 | 124 | 191 | 0.1 | 1.4 | 0.69 | 1.18 | 17 | 47 | 63 | 170 |
| 4192 | MBB COLLEGE LAKE | LAKE | TRIPURA | 22 | 30 | 5.0 | 6.5 | 6.9 | 7.5 | 116 | 166 | 0.1 | 1.3 | 0.31 | 0.89 | 15 | 48 | 84 | 240 |
| 4193 | DIMASAGAR LAKE, NORTH GATE | LAKE | TRIPURA | 23 | 29 | 5.2 | 6.8 | 6.3 | 6.9 | 106 | 161 | 0.7 | 1.6 | 0.30 | 1.17 | 15 | 58 | 58 | 220 |
| 4642 | RUDRASAGAR NORTH LAKE,TRIPURA | LAKE | TRIPURA | 22 | 29 | 5.8 | 6.8 | 6.7 | 7.2 | 109 | 181 | 0.5 | 2.3 | 0.27 | 1.17 | 17 | 58 | 58 | 210 |
| 4643 | RUDRASAGAR EAST LAKE TRIPURA | LAKE | TRIPURA | 22 | 29 | 5.3 | 6.4 | 6.8 | 7.5 | 121 | 184 | 0.1 | 1.8 | 0.27 | 1.28 | 17 | 63 | 84 | 150 |
| 4644 | RUDRASAGAR WEST LAKE TRIPURA | LAKE | TRIPURA | 22 | 29 | 5.6 | 6.5 | 6.7 | 7.2 | 117 | 169 | 0.3 | 1.6 | 0.32 | 1.19 | 17 | 58 | 58 | 210 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|--|--------------------|---------------|----------------|-----|-------------------------|------|-----|-----|-------------------------|------|------------|------|------------------------------|------|------------------------------|-------|-----------------------------|-------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 3392 | SHIPAHIJALA POND, WEST TRIPURA | POND | TRIPURA | 13 | 27 | 5.0 | 6.1 | 6.4 | 7.1 | 119 | 169 | 0.6 | 1.6 | 0.70 | 1.72 | 17 | 38 | 47 | 130 |
| 3393 | BRAMAKUNDA POND, WEST TRIPURA | POND | TRIPURA | 22 | 29 | 6.0 | 6.8 | 6.9 | 7.3 | 122 | 193 | 0.6 | 1.6 | 0.68 | 1.65 | 17 | 40 | 58 | 130 |
| 3394 | KALYANSAGAR AT MATARBARI, SOUTH TRIPURA | POND | TRIPURA | 22 | 30 | 6.0 | 6.9 | 6.5 | 7.4 | 123 | 192 | 0.7 | 2.1 | 0.68 | 2.27 | 25 | 63 | 94 | 220 |
| 3395 | MAHADEB DIGHI, SOUTH TRIPURA | POND | TRIPURA | 22 | 29 | 6.1 | 6.9 | 7.0 | 7.4 | 127 | 173 | 0.1 | 1.5 | 0.46 | 1.29 | 15 | 58 | 48 | 150 |
| 3396 | JAGANNATH DIGHI, SOUTH TRIPURA | POND | TRIPURA | 22 | 29 | 5.9 | 7.0 | 6.7 | 7.1 | 106 | 174 | 0.6 | 1.4 | 0.55 | 1.09 | 17 | 31 | 41 | 120 |
| 4194 | LALBAHADUR DIGHI POND | POND | TRIPURA | 22 | 29 | 5.3 | 6.5 | 6.5 | 7.1 | 127 | 172 | 1.1 | 2.0 | 0.48 | 1.25 | 15 | 48 | 41 | 140 |
| 4195 | DURGABARI POND | POND | TRIPURA | 22 | 29 | 5.0 | 6.6 | 6.4 | 6.9 | 128 | 179 | 0.1 | 1.3 | 0.43 | 1.09 | 12 | 25 | 40 | 120 |
| 4196 | RADHANAGAR POND | POND | TRIPURA | 22 | 30 | 5.1 | 6.8 | 6.6 | 7.1 | 114 | 191 | 2.1 | 4.0 | 0.68 | 1.51 | 32 | 63 | 110 | 280 |
| 4197 | CHATURDASH DEBATA BARI POND | POND | TRIPURA | 22 | 29 | 6.0 | 7.1 | 6.1 | 7.1 | 119 | 184 | 0.1 | 1.3 | 0.75 | 1.08 | 15 | 39 | 46 | 120 |
| 4221 | KATAL DIGHI POND | POND | TRIPURA | 23 | 29 | 5.5 | 6.9 | 6.5 | 7.4 | 127 | 184 | 0.5 | 1.6 | 0.31 | 1.12 | 15 | 49 | 40 | 150 |
| 1364 | RAMGARH LAKE, U.P. | LAKE | UTTAR PRADESH | 14 | 26 | 6.2 | 9.4 | 8.0 | 8.3 | 426 | 498 | 4.8 | 6.2 | - | - | 18000 | 28000 | 30000 | 50000 |
| 2499 | SAMARPUR JHEEL, RAEBARELI | LAKE | UTTAR PRADESH | 21 | 28 | 0.3 | 8.0 | 7.8 | 8.2 | 259 | 411 | 4.0 | 4.6 | 0.78 | 0.90 | 3900 | 4900 | 5100 | 7000 |
| 2500 | MAAHIL POND, URAI TEHSIL, JALAUN | POND | UTTAR PRADESH | 18 | 36 | 1.3 | 3.1 | 7.7 | 8.6 | 1170 | 2460 | 26.0 | 48.0 | - | - | 1400 | 26000 | 21000 | 43000 |
| 2501 | LAXMI POND, JHANSI | POND | UTTAR PRADESH | 17 | 33 | 1.3 | 2.3 | 7.3 | 8.7 | 1012 | 1664 | 36.0 | 80.0 | - | - | 2100 | 35000 | 35000 | 92000 |
| 1362 | NAINI LAKE AT NAINITAL (WATER INTAKE POINT) | LAKE | UTTARAKHAND | 10 | 24 | 6.8 | 8.6 | 7.2 | 8.1 | 330 | 470 | 1.0 | 2.6 | - | - | 415 | 415 | 620 | 620 |
| 3437 | BHEEMTAL LAKE | LAKE | UTTARAKHAND | 12 | 25 | 6.6 | 9.0 | 7.3 | 8.2 | 160 | 230 | 1.0 | 1.8 | - | - | 220 | 220 | 350 | 350 |
| 1765 | RABINDRASAROVAR NATIONAL LAKE, CALCUTTA, WEST BENGAL | LAKE | WEST BENGAL | 19 | 36 | 4.8 | 10.4 | 6.9 | 8.5 | 299 | 987 | 1.1 | 5.5 | 0.99 | 3.54 | 450 | 1100 | 1300 | 2800 |
| 2503 | HATISHALA GHAT ON DUDHPUKUR AT TARAKESHWAR, HOOGHLY | LAKE | WEST BENGAL | 24 | 34 | 4.8 | 9.0 | 7.9 | 8.6 | 607 | 786 | 4.0 | 7.2 | 0.33 | 0.61 | 200 | 35000 | 400 | 54000 |
| 2504 | MAINH GHAT ON DUDHPUKUR AT TARAKESHWAR, HOOGHLY | LAKE | WEST BENGAL | 24 | 34 | 4.5 | 8.8 | 7.9 | 8.7 | 604 | 777 | 3.5 | 6.5 | 0.36 | 0.77 | 4000 | 54000 | 8000 | 92000 |

WATER QUALITY DATA OF LAKES, PONDS & TANKS-2020

| STN Code | Name Of Monitoring Location | Type of Water Body | State Name | Temperature °C | | Dissolved Oxygen (mg/L) | | pH | | Conductivity (µmhos/cm) | | BOD (mg/L) | | Nitrate-N + Nitrite-N (mg/l) | | Faecal Coli form (MPN/100ml) | | Total Coli form (MPN/100ml) | |
|----------|---|--------------------|-------------|----------------|-----|-------------------------|-----|-----|-----|-------------------------|-----|------------|-----|------------------------------|------|------------------------------|-------|-----------------------------|-------|
| | | | | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 2505 | HANUMAN GHAT ON DUDHPUKUR AT TARAKESHWAR, HOOGHLY | LAKE | WEST BENGAL | 24 | 33 | 5.5 | 9.2 | 8.1 | 8.6 | 615 | 800 | 2.2 | 6.6 | 0.37 | 0.63 | 200 | 22000 | 400 | 35000 |
| 2519 | KOCHBIHAR LAKE (SAGAR DIGHI), COOCHBEHAR | LAKE | WEST BENGAL | 16 | 29 | 6.4 | 7.4 | 6.7 | 7.8 | 39 | 107 | 1.2 | 2.6 | 0.30 | 1.75 | 2100 | 14000 | 7000 | 14000 |
| 2520 | MIRIKH LAKE, DARJEELING | LAKE | WEST BENGAL | 8 | 17 | 5.4 | 7.4 | 6.5 | 7.6 | 18 | 128 | 1.0 | 2.8 | 0.30 | 2.39 | 90 | 3400 | 170 | 17000 |
| 2521 | WATER RESERVIOR AT DELO LAKE, DARJELLING | LAKE | WEST BENGAL | 7 | 21 | 7.0 | 7.6 | 6.9 | 7.8 | 13 | 33 | 1.0 | 1.2 | 0.30 | 1.16 | 80 | 230 | 110 | 1100 |
| 2522 | SINCHAL LAKE FOR DARJEELING | LAKE | WEST BENGAL | 3 | 12 | 7.1 | 8.6 | 6.9 | 7.8 | 12 | 28 | 1.0 | 1.2 | 0.30 | 0.82 | 70 | 170 | 120 | 300 |
| 2539 | BELBONI LAKE NEAR BARJORA, BANKURA | LAKE | WEST BENGAL | 19 | 34 | 7.9 | 8.7 | 6.9 | 7.8 | 122 | 222 | 1.4 | 2.1 | 0.30 | 0.30 | 450 | 1700 | 830 | 2200 |
| 2544 | SAHEBBANDH AT PURULIA | LAKE | WEST BENGAL | 18 | 35 | 8.5 | 9.5 | 7.3 | 8.3 | 314 | 467 | 2.9 | 4.0 | 0.30 | 0.30 | 2500 | 4100 | 3800 | 8400 |
| 4720 | LAKE RASIKBHEEL AT COOCHBEHAR | LAKE | WEST BENGAL | 19 | 28 | 6.7 | 8.1 | 7.1 | 8.4 | 32 | 109 | 1.4 | 2.1 | 0.30 | 2.76 | 90 | 1300 | 700 | 3500 |
| 4725 | WATER RESERVIOR ST. HELENS SCHOOL | LAKE | WEST BENGAL | 4 | 27 | 7.1 | 8.2 | 7.1 | 7.7 | 14 | 32 | 1.0 | 2.1 | 0.30 | 2.76 | 70 | 1300 | 170 | 3400 |
| 4729 | JOREPOKHARI LAKE AT SUKHIAPOKHARI | LAKE | WEST BENGAL | 4 | 14 | 6.9 | 7.8 | 6.8 | 8.0 | 10 | 135 | 1.0 | 1.4 | 0.30 | 2.28 | 60 | 260 | 110 | 330 |

Note: - Data as received from SPCB's / PCC's under NWMP