

Water Quality Data of Drain under NWMP-2021

STN Code	Name of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4369	COLLING WATER BLOWDOWNS FROM ANDHRA SUGARS LTD, TANUKU BEFORE JOINING RIVER GODAVARI	ANDHRA PRADESH	22	29	5.0	8.0	254	645	7.3	7.9	1.0	2.5	0.5	2.7	3	9	64	120
4373	GOSTANI RIVER SAMPLE AFTER CONFLUENCE WITH M/S DELTA PAPER MILL EFFLUENTS, BENDRA, PALAKODERU (M), BUT BEFORE CONFLUENCE WITH YANAMADURRU DRAIN	ANDHRA PRADESH	24	30	0.3	6.2	612	3850	7.0	7.7	1.9	12.2	1.0	3.1	11	21	150	240
3052	GUNTATHIPPA DRAIN B/C WITH RYVES CANAL AT RAMAVARAPPADU, KRISHNA, A.P.	ANDHRA PRADESH	24	27	5.1	5.9	1458	2100	6.9	7.9	4.4	10.8	2.8	4.6	3	3	1100	1100
3067	OUTLET OF STP ON GODAVARI, RAJAHMUNDRY, EAST GODAVARI, A.P.	ANDHRA PRADESH	24	31	6.0	7.6	156	346	6.7	7.8	1.6	2.4	0.5	2.7	9	15	150	210
3053	TULIA BAGH DRAIN AT VEMULAVADA, EAST GODAVARI, A.P.	ANDHRA PRADESH	25	30	1.5	5.0	785	21420	6.6	7.7	3.5	8.4	1.3	3.7	15	28	210	1100
2047	N-CHOE (ATTAWA CHOE), CHANDIGARH	CHANDIGARH	16	32	0.3	9.1	460	669	6.9	7.8	2.1	185.0	0.5	2.2	2700	6900000	17200	76000000
2048	PATIALA KI RAO, CHANDIGARH	CHANDIGARH	16	33	0.3	0.3	828	1099	7.5	8.0	36.0	421.0	0.7	9.3	1100000	10900000	4500000	76000000
2049	SUKHNA CHOE, CHANDIGARH	CHANDIGARH	16	32	0.1	2.6	495	1074	7.2	7.8	76.0	255.0	0.6	13.4	2200000	27000000	7000000	220000000
5268	ABU FAZAL DRAIN	DELHI	-	-	-	-	-	-	7.2	7.7	42.0	73.0	-	-	-	-	-	-

Water Quality Data of Drain under NWMP-2021

STN Code	Name of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
1505	BARAPULA DRAIN, DELHI	DELHI	-	-	-	-	-	-	7.0	7.8	26.0	93.0	-	-	-	-	-	-
1502	CIVIL MILL DRAIN, DELHI	DELHI	-	-	-	-	-	-	6.9	7.6	20.0	66.0	-	-	-	-	-	-
5274	CONTRIBUTION OF OUT FALLS IN OLD AGRA CANAL	DELHI	-	-	-	-	-	-	7.5	7.5	66.0	66.0	-	-	-	-	-	-
5267	DRAIN NO. 14	DELHI	-	-	-	-	-	-	7.0	7.6	32.0	77.0	-	-	-	-	-	-
5263	ISBT + MORI GATE DRAIN	DELHI	-	-	-	-	-	-	7.3	7.4	24.0	70.0	-	-	-	-	-	-
5269	JAITPUR DRAIN	DELHI	-	-	-	-	-	-	7.4	8.0	37.0	82.0	-	-	-	-	-	-
5266	KAILASH NAGAR DRAIN	DELHI	-	-	-	-	-	-	7.1	7.3	43.0	123.0	-	-	-	-	-	-
5261	KHYBER PASS DRAIN	DELHI	-	-	-	-	-	-	6.4	7.5	30.0	44.0	-	-	-	-	-	-
5259	MAGZINE ROAD DRAIN	DELHI	-	-	-	-	-	-	6.8	7.5	40.0	50.0	-	-	-	-	-	-
1857	MAHARANI BAGH DRAIN, DELHI	DELHI	-	-	-	-	-	-	7.1	7.8	34.0	74.0	-	-	-	-	-	-
5262	METCALF HOUSE DRAIN	DELHI	-	-	-	-	-	-	7.4	7.4	24.0	24.0	-	-	-	-	-	-
5275	MOLARBANDH DRAIN	DELHI	-	-	-	-	-	-	7.0	7.7	63.0	120.0	-	-	-	-	-	-
5271	OLD AGRA CANAL AT OKHLA	DELHI	-	-	0.3	0.3	-	-	7.2	7.6	44.0	56.0	-	-	390000	390000	-	-
5273	OLD AGRA CANAL NEAR KALINDI KUNJ - SARITA VIHAR PULL	DELHI	-	-	-	-	-	-	7.1	8.2	30.0	48.0	-	-	-	-	-	-
1503	POWER HOUSE DRAIN, DELHI	DELHI	-	-	-	-	-	-	7.2	7.5	50.0	100.0	-	-	-	-	-	-
1858	SARITA VIHAR, DELHI	DELHI	-	-	-	-	-	-	7.4	8.0	27.0	70.0	-	-	-	-	-	-
1504	SEN NURSING HOME DRAIN, DELHI	DELHI	-	-	-	-	-	-	7.1	7.3	58.0	153.0	-	-	-	-	-	-
1506	SHAHDARA DRAIN, DELHI	DELHI	-	-	-	-	-	-	7.3	7.7	60.0	173.0						

Water Quality Data of Drain under NWMP-2021

STN Code	Name of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
5265	SHASTRI PARK DRAIN	DELHI	-	-	-	-	-	-	6.8	7.4	27.0	86.0	-	-	-	-	-	-
5276	SONIA VIHAR DRAIN	DELHI	-	-	-	-	-	-	7.3	7.7	42.0	88.0	-	-	-	-	-	-
5260	SWEEPER COLONY DRAIN	DELHI	-	-	-	-	-	-	6.9	7.5	26.0	160.0	-	-	-	-	-	-
5264	TONGA STAND DRAIN	DELHI	-	-	-	-	-	-	7.1	7.5	40.0	60.0	-	-	-	-	-	-
5270	TUGHLAKABAD DRAIN	DELHI	-	-	-	-	-	-	7.2	7.9	43.0	97.0	-	-	-	-	-	-
4860	RANIA DRAIN MEETING DISCHARGE OF PHED STP, 6 MLD, RANIA, SIRSA	HARYANA	-	-	5.2	6.1	1720	1870	7.2	7.9	21.0	28.0	-	-	77000	150000	120000	220000
3868	BARAGRAM NALLAH BEFORE CONFLUENCE TO RIVER BEAS	HIMACHAL PRADESH	3	14	7.6	9.9	48	94	7.0	8.2	1.0	1.0	0.3	0.9	22	94	130	430
3881	BHATIAN NALLAH D/S SARA TEXTILE, NALAGARH	HIMACHAL PRADESH	15	33	2.5	4.0	777	5200	7.0	8.3	2.2	90.0	-	-	17	920	58	1600
3879	BHATIAN NALLAH U/S BHATIAN VILLAGE, NALAGARH	HIMACHAL PRADESH	13	34	1.0	3.0	787	6180	7.1	8.3	1.6	110.0	-	-	17	920	70	1600
4463	DHANESON NALLAH (U/S SAINJ WATER SUPPLY SCHEME)	HIMACHAL PRADESH	8	19	7.0	9.0	729	11570	7.6	8.8	1.0	1.0	0.4	2.1	2	280	540	1600
4481	HATHLI NALLAH LIFT WATER SUPPLY SCHEME FOR MUNICIPAL COUNCIL HAMIRPUR	HIMACHAL PRADESH	11	29	7.1	8.8	255	326	7.6	8.1	1.0	1.0	0.3	0.5	2	2	17	26
4466	JARANGLA NALLAH	HIMACHAL PRADESH	4	14	8.7	9.4	126	164	7.4	8.0	1.0	1.0	0.3	1.0	2	2	17	34
4454	JARANGLA NALLAH U/S IPH WATER SUPPLY SCHEME (FOR MOHALLA MUGLA & VILLAGE KARIAN)	HIMACHAL PRADESH	4	14	8.7	9.4	104	167	6.9	7.9	1.0	1.0	0.3	1.2	2	2	17	24

Water Quality Data of Drain under NWMP-2021

STN Code	Name of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4477	KHALADA NALA WATER SUPPLY SCHEME KULLU TOWN TEHSIL KULLU	HIMACHAL PRADESH	7	15	7.8	9.3	110	280	7.5	8.0	1.0	1.0	0.3	1.9	31	94	120	430
4455	KLUIN NALLAH U/S IPH WATER SUPPLY SCHEME (FOR CHAMBA TOWN)	HIMACHAL PRADESH	4	16	8.7	9.3	208	377	7.4	8.0	1.0	1.0	0.3	0.5	2	2	21	27
4430	LIFT NALLAH BEFORE CONFLUENCE TO ASHWANI KHAD NEAR DOGRHA BRIDGE	HIMACHAL PRADESH	12	17	6.4	7.0	2738	7101	7.4	8.1	2.8	40.0	0.8	10.9	7	1600	1600	1600
4482	LIFT WATER SUPPLY SCHEME (PANJARAR) AND BHOTA ROPARI & UJHAN	HIMACHAL PRADESH	12	28	7.2	8.8	257	319	7.7	8.1	1.0	1.0	0.3	0.3	2	2	14	25
4475	MACHADA NALLAH, MAJHOUTI WATER SUPPLY SCHEME NEW NIRSOO, MAJHOUTI	HIMACHAL PRADESH	8	15	9.3	9.7	1145	2590	7.5	8.2	1.0	1.0	0.3	1.0	7	1600	33	1600
4476	MANALSU NALA ((WATER SUPPLY SCHEME FOR MANALI TOWN U/S OF OLD MANALI THESIL MANALI DIST KULLU	HIMACHAL PRADESH	4	12	8.0	9.7	34	71	6.9	8.3	1.0	1.0	0.3	0.7	22	70	63	280
4474	NALLAH, HALOG WATER SUPPLY SCHEME BAG KHANEREI, HALOG	HIMACHAL PRADESH	8	15	9.3	9.8	120	2690	7.5	8.4	1.0	1.0	0.3	1.0	2	920	33	1600
3863	RAMPUR JATTAN MOGINAND NALA BEFORE CONFLUENCE TO RIVER MARKANDA NEAR RADHA SWAMI SATSANG BHAWAN	HIMACHAL PRADESH	17	27	5.9	6.4	324	652	7.1	8.1	1.1	5.0	0.3	1.3	17	170	170	920

Water Quality Data of Drain under NWMP-2021

STN Code	Name of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
4425	RAW WATER FROM AT CHURAT NALLAH	HIMACHAL PRADESH	10	15	7.9	8.9	150	2236	6.5	8.2	1.0	1.0	0.3	1.1	2	1600	2	1600
3865	ROON NALLAH NEAR MEERPUR KOTLA, GURUDWARA	HIMACHAL PRADESH	23	25	7.2	8.4	217	603	7.1	8.1	1.0	2.2	0.3	0.7	22	39	70	280
4035	SAHU NALLAH D/S BHURI SINGH SHEP	HIMACHAL PRADESH	3	15	8.6	9.1	209	244	7.5	8.0	1.0	1.0	0.3	0.7	2	2	31	47
4034	SAHU NALLAH U/S BHURI SINGH SHEP	HIMACHAL PRADESH	3	15	8.6	9.1	194	236	7.3	8.0	1.0	1.0	0.3	0.5	2	2	25	33
4462	SAINJ NALLAH (U/S SAINJ WATER SUPPLY SCHEME)	HIMACHAL PRADESH	9	19	7.0	8.9	1701	6109	7.7	8.8	1.0	1.0	0.3	3.4	2	350	350	1600
3861	SALANI NALLAH NEAR BRIDGE, NH-7, MOGINAND KALA AMB	HIMACHAL PRADESH	15	26	7.1	8.2	315	626	7.3	7.9	1.0	3.8	0.3	0.8	22	70	94	280
3867	SARVARI NALLAH BEFORE CONFLUENCE TO RIVER BEAS	HIMACHAL PRADESH	6	18	7.8	9.6	110	183	7.4	8.0	1.0	1.0	0.3	1.1	27	84	150	430
4480	SURAJMUKHI NALLAH D/S STP SAMTI SOLAN	HIMACHAL PRADESH	9	21	7.2	9.2	205	664	7.5	8.5	1.0	7.4	-	-	2	27	33	130
3875	SURAJMUKHI NALLAH U/S DWSS GALAYANA NEAR M/S SHOOLINI UNIVERSITY	HIMACHAL PRADESH	9	21	7.2	8.7	195	701	7.5	8.5	1.0	2.2	-	-	2	25	26	84
4029	TAALO NALA (FROM NAHAR TOWN) AT KHADDAR KA BAGH B/C TO RIVER MARKANDA	HIMACHAL PRADESH	15	25	6.1	7.8	302	726	7.0	8.1	1.0	2.8	0.4	2.5	22	70	94	350
4082	BAJU NALLAH AT KHOKHYAL NEAR BARAGE, CONFLUENCE POINT	JAMMU & KASHMIR	15	29	5.3	6.5	182	348	7.6	8.2	1.5	2.2	0.1	0.1	-	-	-	-

Water Quality Data of Drain under NWMP-2021

STN Code	Name of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
	OF SAHAR-KHAD AND KATHUA CITY NALLAHS																	
2763	ASANGI NALLA AT ASANGI VILLAGE,	KARNATAKA	17	21	6.1	7.3	380	1020	7.4	8.9	1.0	4.0	0.5	5.5	540	920	920	1600
2785	BPT NAVAPUR (DISCHARGE FROM MIDC TARAPUR), NAVAPUR, PALGHAR, THANE	MAHARASHTRA	25	27	0.3	0.3	6434	36960	5.5	8.1	110.0	1400.0	0.3	31.1	110	240	350	920
2178	CHIKHALI NALLAH MEETS GODAVARI RIVER, CHIKHALI, NASHIK	MAHARASHTRA	17	25	1.9	5.2	496	1591	6.9	8.0	4.2	16.0	0.3	3.3	15	27	170	350
2783	COLOUR CHEMICAL NALLAH, VILLAGE-MAJIWADA, THANE	MAHARASHTRA	25	30	0.3	6.9	546	6386	6.9	7.6	3.4	60.0	0.3	3.2	7	920	63	1600
2789	NALLA AT D/S OF AKLAI MANDIR, AKLAI, MALSHIRAS, SOLAPUR	MAHARASHTRA	12	36	4.6	5.9	500	9777	7.6	8.8	5.2	13.5	1.8	4.7	15	40	140	1600
2790	PIMPAL-PANERI NALLA NEAR FINOLEX INDUSTRIES, YAHGANIGAON, RATNAGIRI	MAHARASHTRA	23	32	5.1	7.0	179	562	5.5	7.8	1.8	2.4	0.3	2.8	4	6	14	38
2782	RABODI NALLAH, RABODI, THANE	MAHARASHTRA	25	36	0.3	2.2	502	1098	6.8	7.4	55.0	170.0	0.3	3.7	7	920	49	1600
2784	SANDOZ NALLAH, SANDOZBAUG, THANE	MAHARASHTRA	25	30	0.3	2.4	556	2682	6.9	7.4	24.0	110.0	0.3	3.2	17	1600	84	1600
3930	BANGURU NALLAH (OVER BRIDGE TALCHER RENGALI DAM ROAD, SARKISOREPAL)	ODISHA	21	26	5.6	9.2	164	966	6.5	7.7	1.0	1.9	0.3	6.4	20	1400	330	3500

Water Quality Data of Drain under NWMP-2021

STN Code	Name of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3934	GANDA NALLAH AT MARTHAPUR	ODISHA	21	24	6.7	8.1	138	549	7.1	7.9	1.0	2.1	0.3	28.3	45	2100	170	4300
3923	GURADIH NALLAH AT PANPOSH	ODISHA	17	30	2.1	4.3	312	495	6.9	8.5	5.2	9.3	0.4	8.1	11000	160000	35000	160000
3939	KUNDRA NALLAH AT JODA	ODISHA	21	31	5.8	7.3	78	186	6.6	7.8	1.0	1.9	0.5	1.5	220	2400	790	4700
2906	DHANAULA DRAIN FALLING INTO LASSARA DRAIN NEAR VILL. DHUNAS, PUNJAB	PUNJAB	10	34	0.3	0.3	3508	5397	7.0	7.9	104.0	209.0	3.2	6.2	22000	210000	350000	460000
2907	HUDIARA DRAIN AT VILL. DHAHUKE (WHERE IT ENTERS PAKISTAN), PUNJAB	PUNJAB	15	29	0.3	0.3	1108	1640	7.1	8.0	72.0	196.0	1.5	5.2	110000	330000	250000	940000
2914	POINT SOURCE BUDHA NALLAH, PUNJAB	PUNJAB	18	30	0.3	0.3	1280	2351	6.3	7.5	105.0	175.0	3.1	5.7	1100000	11000000	2100000	17000000
4158	SAGARPARA DRAIN AT VILL SAGRA DIST, PATIALA	PUNJAB	10	36	1.0	2.1	693	1365	7.2	8.0	15.0	49.0	1.0	2.7	4500	8100	32000	84000
10051	CHENNAI WATERWAYS AT BUCKINGHAM CANAL X OTTERI NULLAH CONFLUENCE (GMR VASAVI INDUSTRIES)	TAMIL NADU	26	32	0.3	0.3	892	2780	6.8	7.6	10.0	57.0	0.3	1.8	78	490	490	1700
10056	CHENNAI WATERWAYS AT MAMBALAM DRAIN (GOLF COURSE)	TAMIL NADU	25	30	0.3	3.9	734	1725	6.7	7.4	5.0	70.0	0.3	1.3	2	490	78	1700
10048	CHENNAI WATERWAYS AT OTTERI NULLAH (KILPAUK GARDEN)	TAMIL NADU	28	32	0.3	3.0	923	2630	6.7	7.6	6.0	68.0	0.3	1.2	20	460	130	1700

Water Quality Data of Drain under NWMP-2021

STN Code	Name of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
10047	CHENNAI WATERWAYS AT OTTERI NULLAH (ORIGIN)	TAMIL NADU	28	32	0.3	2.2	845	4140	6.8	7.4	9.0	110.0	0.3	0.9	45	1100	230	2800
3054	OUTLET OF ASH POND EFFLUENTS OF M/S.NTPC, RAMAGUNDAM, KARIMNAGAR	TELANGANA	27	30	3.2	5.2	1088	1565	9.0	11.0	2.1	4.0	0.3	2.0	2	4	2	220
3060	OUTLET OF STP, DURGAM CHERUVU, RANGAREDDY	TELANGANA	20	30	2.6	4.4	980	2090	7.0	8.5	9.0	27.0	-	-	2	79	17	540
3058	OUTLET OF STP, KHAIRATABAD ON HUSSAINSAGAR LAKE, RANGA REDDY	TELANGANA	20	31	3.6	5.2	987	1293	7.1	8.6	8.0	23.0	-	-	2	79	2	540
3056	OUTLET OF STP, LANGARHOUSE LAKE, RANGA REDDY	TELANGANA	20	31	3.3	6.1	1261	1644	7.1	8.2	9.0	28.0	-	-	2	63	17	920
3057	OUTLET OF STP, NAGOLE ON MUSI, RANGA REDDY	TELANGANA	28	31	3.6	5.7	1272	1527	7.1	8.2	10.0	14.0	-	-	13	240	49	920
3061	OUTLET OF STP, NALLACHERUVU ON MUSI, RANGAREDDY	TELANGANA	20	30	3.4	5.5	1351	1791	7.1	8.4	7.0	19.0	-	-	5	70	17	540
3059	OUTLET OF STP, SAFILGUDA LAKE, RANGA REDDY	TELANGANA	20	31	3.0	4.8	1574	2348	6.9	8.0	15.0	29.0	-	-	2	63	2	920
3062	OUTLET OF STP, SAROOR NAGAR, RANGAREDDY	TELANGANA	20	31	3.3	4.8	1303	1998	6.9	8.3	4.0	26.0	-	-	4	79	58	540
3055	TREATED EFFLUENTS OF 339 MLD STP, AMBERPET, HYDERABAD BEFORE JOINING TO MUSI, HYDERABAD	TELANGANA	20	30	1.9	5.5	1155	1606	7.2	8.1	12.0	29.0	-	-	2	79	23	920

Water Quality Data of STP under NWMP-2021

STN Code	Name Of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20004	STP AT RAJAHMUNDRY	ANDHRA PRADESH	-	-	0.3	7.4	6	8	6.1	7.9	10.0	122.0	-	-	15	23	120	240
20013	PANAJI-1 TONCA	GOA	28	30	-	-	5	7	5.1	7.1	3.8	375.0	-	-	2	13000000	2	35000000
20015	AHMEDABAD-1 BENRAMPURA	GUJARAT	27	27	-	-	7	8	7.2	8.2	12.0	39.0	-	-	120	1600	280	1600
20016	AHMEDABAD-2 NAROL SARKHEJ HIGHWAY	GUJARAT	27	30	-	-	7	8	7.1	8.3	8.0	47.0	-	-	540	1600	1600	1600

Water Quality Data of STP under NWMP-2021

STN Code	Name Of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20017	STP NEAR PAMBA AT PATHANAMTHITTA KERALA	KERALA	-	-	0.3	0.3	7	9	7.4	8.9	110.0	190.0	-	-	-	-	-	-
20019	STP, PURI AT MANGALAGHAT	ODISHA	-	-			7	8	7.3	7.5	4.5	5.3	-	-	13000	54000	54000	160000
20020	WASTEWATER OF TALCHER	ODISHA	-	-	0.3	0.3	7	8	6.7	8.0	5.5	150.0	0.32	0.32	2	160000	130	160000
20018	STP, CUTTACK AT MATTAGAJPUR	ODISHA	-	-	-	-	7	8	6.7	7.6	9.3	185.0	-	-	4900	160000	11000	160000
20021	JALANDHAR	PUNJAB	-	-	-	-	8	9	8.4	8.8	10.0	18.0	-	-	2	1700	-	-
20025	PHAGWARA	PUNJAB	-	-	-	-	7	8	6.8	8.0	8.0	135.0	-	-	200	3500000	-	-
20026	PHILLAUR	PUNJAB	-	-	-	-	6	8	5.9	8.1	12.0	92.0	-	-	2	130000	2	2
20028	SULTANPUR LODHI	PUNJAB	-	-	-	-	7	8	7.1	7.7	95.0	215.0	-	-	9200000	24000000	-	-
20022	LUDHIANA-1, BHATTIAN	PUNJAB	-	-	-	-	7	8	7.2	7.6	16.0	28.0	-	-	1400	47000	-	-
20023	LUDHIANA-2, BALLOKE	PUNJAB	-	-	-	-	7	7	7.0	7.0	28.0	28.0	-	-	2500	2500	-	-
20024	LUDHIANA-3, JAMALPUR	PUNJAB	-	-	-	-	7	7	7.4	7.4	30.0	30.0	-	-	2300	2300	-	-
20038	ERODE-2	TAMIL NADU	26	30	-	-	7	10	7.4	9.8	3.0	13.0	-	-	2	78	45	230
20043	TIRCHIRAPPALLI-SRIRANGAM	TAMIL NADU	31	31	-	-	7	7	6.5	7.3	8.0	37.0	-	-	2	68	20	240
20044	THANJAVUR	TAMIL NADU	26	30	0.3	0.3	7	8	7.1	8.0	4.0	26.0	-	-	2	170	40	790
20041	KARUR	TAMIL NADU	26	32	0.3	0.3	7	8	7.0	7.6	4.0	19.0	-	-	2	2	61	460
20032	CHENNAI-1 NESAPAKKAM (ZONE-IV)	TAMIL NADU	28	28	-	-	8	8	7.5	7.5	10.0	10.0	-	-	40	40	140	140
20034	CHENNAI-3KODUNGAIYUR (ZONE I&II)	TAMIL NADU	27	32	0.3	6	7	8	6.5	7.9	1.0	81.0	0.32	3.19	110	3300	320	9400
20035	CHENNAI-4 KOYAMBEDU (ZONE-III)	TAMIL NADU	30	34	0.3	6	7	7	6.8	7.3	2.0	252.0	0.32	2.76	170	4600	330	8400

Water Quality Data of STP under NWMP-2021

STN Code	Name Of Monitoring Location	State Name	Temperature		Dissolved Oxygen (mg/L)		Conductivity (µmhos/cm)		pH		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
20042	MAYILADUTHURAI	TAMIL NADU	24	29	0.3	6.6	7	8	6.8	8.1	1.0	72.0	0.32	2.92	23	1400	79	3500
20045	TIRUNELVELI	TAMIL NADU	26	34	0.3	7.4	7	8	6.9	7.6	1.0	96.0	0.32	2.68	1100	4900	2800	9400
20047	KUMBAKONAM	TAMIL NADU	26	32	0.3	6.9	7	8	6.5	7.6	10.0	65.0	0.33	1.61	140	4300	700	7900
20033	CHENNAI-2 PERUNGADI(ZONE-V)	TAMIL NADU	-	-	-	-	7	8	6.8	8.4	2.3	30.0	-	-	1600	21000	11000	58000
20036	BHAWANI	TAMIL NADU	26	32	0.3	7.2	7	8	6.6	7.6	9.0	145.0	0.32	2.4	2	7900	20	13000
20048	SWARG ASHRAM - 1	UTTARAKHAND	12	29	9	10.2	7	8	7.1	8.3	1.0	1.4	0.32	2.1	14	26	34	48
20049	LAKKAR GHAT- OXIDATION PONDS	UTTARAKHAND	14	26	8.8	9.8	7	8	7.1	8.3	1.0	1.6	0.32	1.3	2	58	2	70
20050	JAGJITPUR	UTTARAKHAND	14	26.8	8.2	10.5	7	9	7.0	8.5	1.0	2.2	0.3	0.42	48	84	84	140

Water Quality Data of WTP under NWMP-2021

"STN Code"	Name Of Monitoring Location	State Name	Temperature		Dissolved O2 (mg/L)		pH		Conductivity (µmhos/cm)		BOD (mg/L)		Nitrate N + Nitrite N (mg/L)		Faecal Coliform (MPN/100ml)		Total Coliform (MPN/100ml)	
			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
3043	WATER WORKS- CHANDRAVAL, DELHI	DELHI	32	32	17.0	17.0	7.4	8.8	811	811	9.1	9.1	0.30	0.32	110	110	490	490
3042	WATER WORKS- SONIA VIHAR, DELHI	DELHI	-	-	7.5	7.5	7.4	7.6	185	185	1.0	1.0	0.42	0.76	2700	2700	24000	24000
3041	WATER WORKS- WAZIRABAD, DELHI	DELHI	-	-	17.0	17.0	7.4	8.8	811	811	9.1	9.1	0.30	0.32	110	110	490	490
3044	WATER WORKS- NANGLOI, DELHI	DELHI	-	-	6.2	6.2	7.5	7.8	211	211	1.1	1.1	0.30	0.72	170	170	2400	2400
3045	WATER WORKS- HAIDERPUR, DELHI	DELHI	32	32	8.3	8.3	7.5	7.8	252	252	1.7	1.7	0.30	0.62	7900	7900	17000	17000
3046	WATER WORKS- DWARKA, DELHI	DELHI	-	-	-	-	7.5	7.5	-	-	-	-	0.30	0.30	-	-	-	-
3047	WATER WORKS- GURGAON	HARYANA	3	26	6.1	7.0	7.1	7.2	690	960	-	-	-	-	140	190	1800	2600
4861	NEAR HUDA/ HSVP WATER WORKS, BASAI, GURUGRAM	HARYANA	16	26	4.6	5.1	7.4	7.7	590	930	1.0	1.0	-	-	2	2	2	2
3048	WATER WORKS- FARIDABAD	HARYANA	20	20	9.3	10.1	7.3	7.42	172	194	1.0	1.0	0.30	0.30	2	2	2	2
3050	WATER WORKS- GHAZIABAD	UTTAR PRADESH	3	24	6.1	6.9	7.1	7.3	615	840	-	-	-	-	110	160	1700	2200

Note: - Data as received from SPCB's / PCC's under NWMP during-2021.